

85.12.31

DISINFECTANT CLEANER
ODOUR COUNTERACTANT

AIRX 15

NETTOYEUR DESINFECTANT
NEUTRALISANT D'ODEURS

GUARANTEE / GARANTIE:

N-Alkyl (5% C12, 60% C14, 30% C16, 5% C18)
dimethyl benzyl ammonium chloride 0.8%
N-Alkyl (68% C12, 32% C14) dimethyl
ethylbenzyl ammonium chloride 0.8%

REGISTRATION NO. 18654
PEST CONTROL PRODUCTS ACT

NO. D'ENREGISTREMENT 18654
LOI SUR LES PRODUITS ANTIPARASITAIRES

CAUTION - ATTENTION
CORROSIVE - CORROSIF

READ THE LABEL BEFORE USING
LIRE L'ETIQUETTE AVANT L'UTILISATION

COMMERCIAL

DIN 639176

NET CONTENTS LITRES CONTENU NET

LOT #

CODY-FOOD EQUIPMENT CO.
DIVISION OF CASSIDY'S LTD.
P.O. BOX 247, GRANDVIEW INDUSTRIAL PARK
SAINT JOHN, N.B.

E2L 3Y4

FOR INDUSTRIAL AND HOSPITAL USE.

DIRECTIONS: DISINFECTION - of hard surfaces (walls, floors, etc.), add 1 part per 25 parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes. Let air dry. To disinfect toilet bowls, flush toilet, add 160 mL of AIRX 15 directly to bowl water. Swab completely making sure to get under rim. Let stand 10 minutes, flush. For heavily soiled surfaces a pre-cleaning step is required and recommended. Prepare a fresh solution for each use.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces, add 1 part "AIRX 15" to 25 parts water. Wet surfaces completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

SANITIZING - To sanitize pre-cleaned, rinsed non-porous food contact surfaces, prepare 200 ppm active QUAT solution by adding 1 part "AIRX 15" to 80 parts water. Allow solution to contact surface for at least 60 seconds. Let air dry. Prepare fresh solution each use.

HOSPITAL DISINFECTION - At 1 part "AIRX 15" to 25 parts water, this product exhibits effective disinfectant activity against: *Escherichia coli*, *Salmonella choleraesuis*, *Staphylococcus aureus*. At this level the product is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes*. At 1 part per 21 parts dilution, this product is an effective hospital disinfectant and demonstrated activity against *Pseudomonas aeruginosa*. Efficacy tests have demonstrated that this product is an effective bactericide, fungicide and virucide in the presence of organic soil (5% blood serum). AIRX 15 is an effective sanitizer when diluted with water up to 250 ppm hardness (CaCO_3).

PRECAUTION: Keep out of reach of children. Causes eye and skin damage. Do not get in eyes, skin or on clothing. Harmful if

swallowed. Wear glasses or face shield and rubber gloves when handling. Avoid contamination of food. When used on surfaces coming in direct contact with food, rinse thoroughly with potable water. Do not mix with soap or anionic solutions.

FIRST AID INSTRUCTIONS: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if none of these are available, drink large quantities of water. Call a physician immediately.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))