

2001/2006

**SUPER FOG**

READY-TO-USE LIQUID INSECTICIDE SPACE  
SPRAY FOR FOOD PROCESSING PLANTS

**COMMERCIAL**

GUARANTEE:

Pyrethrins 0.3%  
Technical piperonyl butoxide 0.36%  
N-octyl bicycloheptene dicarboximide 1.20%

READ THE LABEL BEFORE USING

**REGISTRATION NO. 24730**  
**PEST CONTROL PRODUCTS ACT**

LOT #

NET CONTENTS 20, 70, 210 L.

**MELROSE CHEMICAL PRODUCTS, LTD.**

2337-46e Ave.

Lachine, QC.

H8T 3C9

Tel: (514) 631-2997

Fax: (514) 481-7585

**DIRECTIONS FOR USE:**

FOOD PROCESSING PLANTS: In food processing plants **apply only when plant is not in operation**. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operation.

FLYING INSECTS: Use 100 mL per 100 cubic meters to kill flies, mosquitoes, gnats and exposed stages of grain moths. Using a spraying device or ULV equipment similar to Tri-Jet Fogger to dispense SUPER FOG as a fine mist, apply at a rate of 100 mL of spray per 100 m<sup>3</sup> of room space. Remove all animals from

treatment area before using as a space spray. Close all doors and windows and shut off ventilating systems. Direct spray upwards to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present. Spray only when temperature is below 32°C. Keep areas sealed for 30 minutes after each treatment. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before re-entry. Ensure proper ventilation after sealed areas have been treated. Following ventilation, clean up dead insects.

CRAWLING INSECTS: Use 200 mL per 100 cubic meters to kill cockroaches, silverfish, and exposed stages of grain beetles. Using a spraying device or ULV equipment similar to Tri-Jet Fogger to dispense SUPER FOG as a fine mist, apply at a rate of 200 mL of spray per 100m<sup>3</sup> of room space. Remove all animals from treatment area before using as a space spray. Close all doors and windows and shut off ventilating systems. Direct spray upwards to all parts of the room, especially windows and other light sources. Also direct mist into areas where insects are present, such as cracks and crevices, around baseboards and drain pipes. Spray only when temperature is below 32°C. Keep area sealed for 30 minutes after each treatment. Do not remain in treated areas. Ventilate treated areas thoroughly for at least 30 minutes before re-entry. Ensure proper ventilation after sealed areas have been treated. Following ventilation, clean up dead insects.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. READ MATERIAL SAFETY DATA SHEET.**

Avoid contact with skin, eyes, and clothing. Avoid inhalation of spray. Product contains Petroleum Distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing, safety goggles, and chemically resistant gloves when using product. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after use. Do not contaminate feed, water or food stuffs. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse. Do not use in milk processing plants or milk parlours. Do not use near birds, fish or pets. Do not spray on plastic or varnished surfaces. Do not spray closer than 1 m to fabric. (Exceeding dosage rates and biweekly applications may cause stains on fabrics, furs, and other materials). Product toxic to fish. Do not contaminate any body of water.

**FIRST AID:** If inhaled, remove victim to fresh air. If breathing has stopped, begin artificial respiration. Call physician immediately. For eye contact, flush with running water for at least 15 minutes. Call physician. For skin contact, wash with soap and water while removing contaminated clothing. Call physician if irritation persists. CONTAINS PETROLEUM DISTILLATE, if ingested, DO NOT induce vomiting. If vomiting occurs, keep head below hips to prevent aspiration of liquid into the lungs. CALL PHYSICIAN OR POISON CONTROL CENTRE IMMEDIATELY.

**DISPOSAL:** Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

**NOTICE TO USER:**

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))