

95/2000

D-600

DISINFECTANT - CLEANER - SANITIZER -
FUNGICIDE - ALGAECIDE -DEODORANT

COMMERCIAL

GUARANTEE

n-Alkyl (40% C₁₂; 50 C₁₄; 10% C₁₆)
dimethyl benzyl ammonium chloride 10%

REGISTRATION NO. 19136

PEST CONTROL PRODUCT ACT

No. D.I.N. 644951

Net Contents:

Lot #

... 0.5 ... 4 ... 20
... 60 ... 115 ... 220L

MELROSE CHEMICAL PRODUCTS, LTD.
2337 - 46e Ave. Lachine, QC H8T 3C9
Tel: (514) 631-2997 Fax: (514) 481-7585

HOW TO USE:

1) GENERAL DIRECTIONS:

To disinfect walls, floors and furniture in hotels, restaurants, etc. use 8 mL D-600 per liter of water. In case of organic odours use 12 to 24 mL D-600 per liter of water. For footbath, use 8 mL D-600 per liter of water. For showers, floors and walls, 8 ml D-600 per liter of water.

SURFACES THAT MAY COME IN CONTACT WITH FOOD AND HAVE BEEN CLEANED WITH D-600 SHOULD BE RINSED WITH POTABLE WATER BEFORE USE.

2) LAUNDRIES, AS A SOFTENER (EXCEPT MEAT SHOUDS):

Use 9 mL D-600 per liter of water in the one before last rinse.

3) TREATMENT OF POOLS:

For the destruction of algae in the swimming pool, use 1 liter of D-600 per 20,000 liters of water (5 ppm active). To control algae growth (once a week), use 1 liter of D-600 per 50,000 liter of water (2 ppm active).

4) NOTICE TO USER:

This product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCT ACT to use a control product under unsafe conditions.

PRECAUTIONARY STATEMENTS

KEEP OUT OF REACH OF CHILDREN. DANGER - CORROSIVE TO EYES. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

FIRST AID: In case of contact, immediately flush eyes or skin with running water for at least 15 minutes. For eyes, call physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills, recover free liquid. Soak up residue with solids absorbent. DO NOT FLUCH INTO SURFACE STREAMS. INFORM

ENVIRONMENT CANADA AS IN NO. 4.

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Product Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))