

96.12.02

(( FRONT OF BUBBLE PACKAGE ))

GREEN CROSS(R)

ZAP CAP(TM) INSECTICIDE

A UNIQUE SPRAYER USING SEALED CAPS TO INJECT A PRE-MEASURED AMOUNT OF PRODUCT DIRECTLY INTO THE SPRAYER BOTTLE.

DOMESTIC

READY-TO-USE AND REUSE

FOR OUTDOOR USE ON: Flowers, Ornamentals and Vegetables

GUARANTEE:

Each cap contains ..... 80% carbaryl by weight

NET CONTENTS: Contains 3 caps, each containing 0.625 grams

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

REG. NO.: 23,540

P.C.P. ACT

CUT CAPS OUT OF PLASTIC ONE AT A TIME, AS REQUIRED.

RETURN SPRAYER TO THIS BLISTER PACK FOR STORAGE.

The Solaris Group  
A Unit of Monsanto Canada Inc.  
600 - 25 Watline Avenue  
Mississauga, Ontario  
L4Z 2Z1

WARNING

POISON

(( BACK OF BUBBLE PACKAGE ))

To use the GREEN CROSS(R) ZAP CAP(TM) system simply:

1. Fill the sprayer with water to the 500 mL line.

2. Remove the white cap on the sprayer and replace with a ZAP CAP; twist on tightly. Press down firmly on ZAP CAP to release product.
3. Shake well to ensure all powder is removed from the CAP and spray.

#### ILLUSTRATIONS

Do not use more than one cap at a time. Do not store mixed solutions after adding ZAP CAP to water. Immediately use all mixed solution according to label directions. Rinse sprayer thoroughly after each use.

#### DIRECTIONS:

FOR USE ON	TO CONTROL	TIMING	APPLICATION
ornamental plants, flowers, shrubs and shade trees, including rose, carnation, gladiolus	Rose aphid, rose slug, rose chafer, tent caterpillar, mealy bugs, leaf roller, leafhopper, plant bug, psyllids, gypsy moth, scale insects, thrips (exposed), boxelder bug, flea beetle	Apply when insects or their damage appear. Repeat after 7 to 14 days if necessary.	Mist plant thoroughly to ensure good coverage but not to the point of spray runoff.

CAUTION: Carbaryl is toxic to bees. If bees forage in the area, application should be made either early or late in the day.

FOR USE ON	TO CONTROL	TIMING	APPLICATION
Vegetables: potato, tomato, egg plant, peppers, carrots, beets, lettuce, cabbage, brussels sprouts, cauliflower, collards, radish, parsnips, celery	Colorado potato beetle, potato flea beetle, flea beetles leaf hoppers, tomato fruitworms, hornworms, cabbage loopers, cucumber beetles	Apply when insects or their damage appear. Do not apply within 14 days of harvest for lettuce, parsnips and beets (tops). Do not apply within 7 days of harvest for beets (roots) and other listed vegetables.	Mist plant thoroughly to ensure good coverage but not to the point of spray runoff.

#### PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. May be harmful if swallowed or inhaled. Do not contaminate food or feed. Do not contaminate streams, ponds or other bodies of water.

DISPOSAL:

Dispose of used ZAP CAP in regular household garbage.

FIRST AID:

If swallowed, give patient 1-2 glasses of water and induce vomiting; get medical attention. Do not induce vomiting if patient is unconscious or in a convulsive state. If on skin, wash immediately with soap and water. If in eyes, flush with plenty of water.

TOXICOLOGICAL INFORMATION:

Carbaryl is a moderate, reversible cholinesterase inhibitor. Atropine is antidotal.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use of handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

(R)Registered trademark Monsanto Company, Monsanto Canada Inc. licensee  
(TM)Trademark applied for.

(( BOTTLE LABEL ))

GREEN CROSS(R)

ZAP CAP(TM) SPRAYER

CONVENIENT:

- No measuring
- No mess
- No calculating

RESPONSIBLE:

- Reduce exposure
- Reduce garbage

THIS CONTAINER FOR USE WITH:

ZAP CAP SYSTEMIC FUNGICIDE (PINK CAP) AND ZAP CAP INSECTICIDE (BLUE CAP) ONLY. DO NOT USE MORE THAN ONE CAP AT A TIME. DO NOT USE THIS SPRAYER FOR WEED KILLERS. RINSE SPRAYER THOROUGHLY AFTER EACH USE.

DIRECTIONS:

1. Fill the sprayer with water to the 500 mL line.
2. Remove the white cap on the sprayer and replace with a ZAP CAP; twist on tightly. Press down firmly on ZAP CAP to release product.
3. Shake well to ensure all powder is removed from the CAP and spray.
4. Apply spray mixture in accordance with ZAP CAP label directions.
5. Rinse sprayer thoroughly after each use.

ILLUSTRATIONS

(( INFORMATION ON EACH INDIVIDUAL CAP ))

GREEN CROSS(R)

ZAP CAP(TM)

NET CONTENTS: 0.625 grams

GUARANTEE: 80% Carbaryl

REG. NO.: 23,540

P.C.P. ACT

WARNING

POISON

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA

does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))