

**Triple C Chemical
Biocide 599**

**BROAD SPECTRUM LIQUID MICROBICIDE FOR THE CONTROL OF
ALGAE, BACTERIA AND FUNGI. NON-FOAMING**

**LIQUID MICROBICIDE
INDUSTRIAL**

READ THE LABEL BEFORE USING

**Registration No.: 25906
Pest Control Products Act**

GUARANTEE:

Potassium N-methyldithiocarbamate.....6.8% (by wt)

Disodium cyanodithioimidocarbonate.....4.9% (by wt)

DANGER – POISON, CORROSIVE

NET CONTENTS: liters / kilograms

**T. Donovan & Son (1997) Ltd.
P.O. Box 183
Saint John, N.B. E2L 3X8**

DIRECTIONS FOR USE

1) Cooling Tower Systems:

Prior to use in water cooling towers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 375 to 750 ml per 10,000 liters of water should then be added to the sump of the cooling water towers. Repeat the initial dosage until control is evident. Subsequent slug additions of 150 to 750 ml per 10,000 liters of water should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with eyes, skin, clothing and the contamination of food. Wear safety glasses (goggles), rubber gloves and body-protective clothing.

FIRST AID

Eye exposure: Flush with clean, cool water for at least 15 minutes or longer till irritation subsides. See a physician if irritation occurs.

Skin exposure: Wash with a mild soap and water. See a physician if irritation occurs. Remove and wash contaminated clothing (including shoes) before reuse.

Inhalation: Use proper respiratory protection to immediately remove the affected person from exposure. Administer artificial respiration if breathing has stopped. Keep at rest. Get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING. Rinse mouth with copious amounts of water or milk, first. Irrigate the esophagus and dilute stomach contents by slowly giving one (1) to two (2) glasses of water or milk. Avoid giving alcohol-related products. In cases where the individual is semi-comatose, comatose or convulsing **Do not give fluids by mouth.** In all cases, seek immediate medical assistance or contact the Poison Control Center. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Note to physician: Probable mucosal damage following ingestion may contraindicate gastric lavage.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsing to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted products and cleanup of spills contact the Provincial Regulatory Agency or the Manufacturer.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water, food, or feed by storage or disposal.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use of handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.