

98D/2001E

300 g

GARDEN CLUB (TM)

59-3800-0

TOMATO &
VEGETABLE
DUST

MADE IN CANADA

Insecticide/Fungicide

Controls Insects and Diseases on
Tomatoes, Potatoes and Many Other
Vegetables and Small Fruits

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE: Carbaryl 5%, Copper from
Tribasic Copper Sulphate 7%

REG. NO. 23613 P.C.P. ACT - DOMESTIC

CANADIAN TIRE CORPORATION, LIMITED
TORONTO, CANADA M4P 2V8

DIRECTIONS: Apply a thin uniform coating of dust to both sides of foliage, preferably in early morning or evening when air is still. Start applications when insects or damage caused by insects or disease appear and repeat at intervals of 7 to 10 days or as necessary for control. For potato, apply when plants are 13 to 18 cm high. Repeat at intervals of 5 to 10 days as long as disease threatens. Some leaf injury may occur to carrots and cucumber if applied to tender wet foliage or in the presence of prolonged humidity.

CROP	I.T.H.*	DISEASES	INSECTS
Grape	3	black rot, dead arm, downy mildew	berry moth, leafhoppers
Strawberry	1	leaf spot	spittlebug, leafroller
Bean	3	anthracnose, leaf spot downy mildew	
Beet	14	Cercospora leaf spot	
Carrot	1		
Broccoli	3	black leaf spot	flea beetles
Cabbage	3	grey leaf spot	leafhoppers
Brussels sprouts	3	downy mildew, leaf spot	armyworms, cabbage loopers,
Cauliflower	3		imported cabbage worm, diamond back moth, spittlebug, stink bug
Celery	3	early blight, late blight	
Spinach	14	downy mildew, white rust	
Cucumber	3	anthracnose,	cucumber beetle
Melon	3	leaf spot, scab	climbing cutworm,
Squash	3		flea beetle, leafhoppers, squash bugs
Eggplant	1	early blight	Colorado Potato beetle, corn borer,
Pepper	1	late blight	fall armyworm,
Potato	7		tomato hornworm
Tomato	1	anthracnose, early blight, late blight, Septoria leaf spot	tomato fruitworm leafhoppers, flea beetles, stink bugs, plant bugs, climbing cutworm
Ornamentals (Rose)		black, spot, powdery mildew, downy mildew	beetles, leafrollers, plant bugs, rose aphid, rose chafer, roseslug.

* days interval to harvest.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Hazardous if swallowed, inhaled or absorbed through the skin. Wash thoroughly after use and before eating, drinking or smoking. Do not contaminate feed, food, ponds, or streams. Do not use when fruit trees are in bloom, or directly on flower blossoms as it is very poisonous to foraging bees. Store in a cool, dry, ventilated place.

FIRST AID: If on skin, wash thoroughly with soap and water. If in eyes, flush with water for 5 to 10 minutes and get medical attention. If swallowed, induce vomiting and go to hospital taking labelled container with you. DO NOT INDUCE VOMITING IF PATIENT IS UNCONSCIOUS OR CONVULSIVE. Carbaryl is a moderate reversible cholinesterase inhibitor. Atropine is antidotal.

Dispose of empty container with regular garbage.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))