

95.10.06

SALMOSAN (TM)

MANUFACTURING CONCENTRATE

WETTABLE POWDER (WP) ACARICIDE  
for the use in the formulation of end  
use products for the Control of Sea Lice  
on fish reared in marine aquaculture  
sites in Eastern Canada

GUARANTEE:

Azamethiphos 47.5%

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

POTENTIAL SKIN SENSITIZER

CAUTION POISON

REGISTRATION NO. 24273

PEST CONTROL PRODUCTS ACT

IN CASE OF EMERGENCY INVOLVING A MAJOR  
SPILL, FIRE OR POISONING CALL 1-800-267-6351

NET CONTENTS: 30 KG

Ciba-Geigy Canada Ltd.  
Animal Health Division  
6860 Century Avenue  
Mississauga, Ontario  
L5N 2W5

USE DIRECTIONS:

For use ONLY in the formulation of end use products registered  
under the PEST CONTROL PRODUCTS ACT. Refer to technical bulletin  
for correct manufacturing procedures.

FIRST AID:

If you have breathing problems or if you have felt persistently  
unwell after using a product containing an organophosphorus

compound you should consult your doctor before working with this product.

IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, seek advice immediately. Tell the doctor you have been using SALMOSAN which contains azamethiphos, an organophosphorus compound.

Ingestion: Medical aid necessary. Remove contaminated clothing. Prevent exertion. CALL DOCTOR AT ONCE or Poison Control Centre and retain the label. Watch respiration and institute artificial respiration at first signs of respiratory failure.

Skin Contact: Wash hands and exposed skin with soap and water.

Eye Contact: Flush with clean water for 15-20 minutes.

Inhalation: Remove to fresh air. Keep at rest and keep warm.

#### TOXICOLOGICAL INFORMATION:

The symptoms of mild poisoning from organophosphores compounds are a feeling of exhaustion and weakness which may be accompanied by cramp-like abdominal pains, diarrhoea, excessive sweating, constricted pupils and salivation up to 24 hours after exposure. Severe poisoning can cause general muscle twitching and convulsions.

Azamethiphos is a Cholinesterase inhibitor. Antidote: Atropine under medical supervision. Inject 2 to 4 mg atropine sulphate (for children 0.5 to 2 mg according to age) i.v. or i.m. every 5 to 10 minutes until signs of atropinisation occur. The patient must remain atropinised for a sufficient length of time (24 to 48 hours) to prevent subsequent poisoning due to delayed resorption.

#### PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

May cause sensitization by inhalation and skin contact.

Avoid all contact by mouth, with skin or eyes.

Accidental splashes on exposed skin or eyes should be washed off immediately with plenty of water.

Wash hands, face and exposed skin before eating, drinking or smoking and after leaving the work area.

Wash all protective clothing thoroughly after use, especially the insides of gloves.

Wear suitable protective clothing (waterproof coveralls), suitable protective gloves (heavy duty gauntlet style nitrile or chemical resistant gloves at least 300 mm in length and 0.5 mm thick are recommended) and face protection (full face respirator) when handling the concentrate (i.e. mixing and transferring product from one container to another. Renew protective clothing has occurred. Store in the original, unopened packaging in a well-ventilated room. Store in a dry place. Protect from sun and humidity. Avoid contamination of food, feed and domestic water

supplies.

ENVIRONMENTAL HAZARDS:

1. SALMOSAN is dangerous to many organisms. The fastest and therefore most important detoxification mechanism in coastal waters is dilution which is increased by water movements, including the flushing effect of sea tides.
2. SALMOSAN is dangerous to fish and other aquatic organisms in the concentrated form or in improper use dilutions. Do not contaminate ponds, streams or inlets with product or used packaging.

PRODUCT DECONTAMINATION AND DISPOSAL:

Formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and cleanup of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))