

93.09.10

Insecticide sous pression pour bâtiments de ferme
Pressurized Space Spray

DISVAP SPRAY

INSECTICIDE SOUS PRESSION
PRESSURIZED SPRAY INSECTICIDE

Pour usage dans les laiteries, les salles de traite, les étables.
For use in milkhouses, milking parlors, barns.

COMMERCIAL

BIEN AGITER AVANT USAGE
SHAKE WELL BEFORE USING

GARANTIE: GUARANTEE:

D-Trans-Alléthrine 0.50% D-Trans Allethrin
Butoxide de pipéronyle technique 4.00%
Technical Piperonyl Butoxide 4.00%

LIRE L'ETIQUETTE AVANT L'EMPLOI
READ LABEL BEFORE USING

ENREGISTREMENT NO. 15726 REGISTRATION NO.
LOI SUR LES PRODUITS ANTIPARASITAIRES / PEST CONTROL PRODUCTS ACT

AVERTISSEMENT - WARNING

EXPLOSIF / EXPLOSIVE

INFLAMMABLE / FLAMMABLE

CONTENU NET 908g NET CONTENTS

DISPAR, DIVISION DE/OF VETOQUINOL CANADA INC.
JOLIETTE, QUEBEC
J6E 3Z1

DIRECTIONS: To control houseflies, stable flies and gnats.

Space Spray: Kills flying insects in barns, milking parlors and milkhouses. Cover milking utensils to prevent contamination from spray and dead insects, do not spray milking equipment (any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse). Do not use in rooms where milk is processed, handled or stored. Direct spray upwards to all parts of the room especially windows and other light sources. Apply at a rate of 1 to 2 seconds per 30 m³. Remove all animals from barn before using as a space spray. For best results, close all doors and windows during treatment. Ventilate treated areas thoroughly for at least 30 minutes before animal reentry. Spray only when temperature is under 32°C.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Do not contaminate food, feed or water troughs. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash after using. Product is toxic to fish. Do not contaminate any body of water.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Dispose of empty container in accordance with Provincial requirements.

CONTENTS UNDER PRESSURE: Do not puncture or incinerate can. Do not store at temperature above 50°C or in direct sunlight. Do not use in presence of open flame or sparks.

FIRST AID: If sprayed in eyes or on skin, flush with clean water. If irritation persists, obtain medical attention. If accidentally swallowed, DO NOT induce vomiting and obtain medical attention at once.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or party arising from the use or handling of this product and accepts the product on that condition.

Joliette, Québec
J6E 3Z1

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))