

95.10.23

Diversey

3475

FORMULA/FORMULE

INDUSTRIAL LIQUID SLIMICIDE
INDUSTRIEL SLIMICIDE LIQUIDE

TO PREVENT ALGAE SLIME & FUNGI IN COOLING WATER
POUR PREVENIR LA FORMATION DE LIMON, D'ALGUES ET DE
CHAMPIGNONS DANS L'EAU DE REFROIDISSEMENT

GUARANTEE:/GARANTIE

n-ALKYL (40% C₁₂, 50% C₁₄ 10% C₁₆)
DIMETHYL BENZYL AMMONIUM CHLORIDE....16%
BIS (TRI-n-BUTYLTIN) OXIDE.....2.3%

REGISTRATION NO./NO. D'ENREGISTREMENT 13500

PEST CONTROL PRODUCTS ACT
LOI SUR LES PRODUITS ANTIPARASITAIRES

READ THE LABEL BEFORE USING
LIRE L'ETIQUETTE AVANT L'EMPLOI

WARNING/AVERTISSEMENT

POISON

NET

Diversey Water
Technologies Ltd.
Technologies de l'eau
Diversey ltée
110 Second Street
Cobourg, Ontario
K9A 3N5

(905) 372-3344
(905) 372-2561 (fax)

Technologies de l'eau
Diversey ltée
Diversey Water
Technologies Ltd.
10,500 Côte de Liesse
Lachine, Québec
H8T 1A4

(514) 636-4420
(514) 636-1891 (fax)

DIRECTIONS FOR USE:

Add separately to system. Do NOT mix with other chemicals. Introduce through chemical pump/tank on feeder leading to recirculating line or direct to sump. Badly fouled systems should be mechanically cleaned before treatment is begun. Initial shock dosages of 100 to 150 ppm Formula 3475 are recommended. Repeat initial dosage until control is evident. After control is achieved, dosages may be reduced to 60-100 ppm Formula 3475. Apply treatment once or twice a week or as needed to maintain control.

PRECAUTIONS: This formula may cause skin irritation or damage to eyes. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wear suitable eye protection and protective gloves when handling. Do NOT reuse empty container. Keep container closed when not in use.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds estuaries, oceans, or public waters. Do not contaminate water by cleaning of equipment or disposal of wastes.

FIRST AID INSTRUCTIONS - IF IN EYES: Immediately flush with plenty of water for at least 15 minutes. Get immediate medical attention. IF ON SKIN: Wash with plenty of soap and water. Get medical attention. IF SWALLOWED: Give at least two glasses of warm water, milk or salt water. Induce vomiting by placing fingers or spoon at back of throat. Keep patient warm. Seek medical attention with urgency. Remove contaminated clothing and wash before reuse.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

Rinse the emptied container thoroughly and add the rinsings to treatment site. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada, for small spills recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA.

Label No. 19

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))