

2000/2003

MAGNA

SPACE AND CONTACT INSECTICIDE SPRAY

**Kills cockroaches, flies, ants, silverfish, wasps, moths,
carpet beetles, bed bugs, etc.**

WHERE TO USE: Food plants, restaurants, supermarkets,
motels, schools, industrial plants, warehouses, waste disposal
areas, etc.

GUARANTEE

Pyrethrins 0.2%
Pyperonyl Butoxide 1.2%

Registration No. 14625 Pest Control Products Act

FOR INDUSTRIAL USE ONLY -

READ THE LABEL BEFORE USING

CAUTION

FLAMMABLE

DANGER
POISON

QUALITY CHEMICAL MFG.
215 DOLOMITE DR.,
DOWNSVIEW, ONTARIO M3J 2N1
TEL.: (416) 665-8422

DIRECTIONS: Use in portable sprayers or fogging machines.

SURFACE TREATMENT: Treat surface areas at the rate of 15 m² per litre. Apply a coarse spray rapidly, moving spray to prevent over-wetting.

FLYING INSECTS: Close doors and windows. Using a portable sprayer, direct spray-mist upwards to all parts of the room, especially windows and other light sources. Also direct spray mist into areas where insects are present. Start at the farthest corner of the room and finish at doorway. For fogging machines, set sprayer to distribute 2 ml of product per m³ and apply at a rate of 170 ml per minute. Whenever possible, keep doors and

windows closed for 15-20 minutes after each treatment.

CRAWLING INSECTS: Spray hiding places such as baseboards, moist areas, openings around sinks, drains and pipes, behind cabinets and storage areas. Spray ant trails around door sills, window frame, or in ant nests. Insects must be hit to be killed. Apply at a rate of 15 m² per litre. Apply a coarse spray moving the spray rapidly to prevent overwetting.

BEDBUGS: Spray mattress, particularly around seams and tufts. Take bed apart, spray all joints.

Ensure proper ventilation after sealed areas have been treated.

PRECAUTIONS: Flammable mixture. Product contains Petroleum Distillate. Do not store, pour or use near fire or flame. Wear mask or respirator when applying spray mist. Wear protective clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling and before eating etc. Do not contaminate feed, water or food stuffs; in food processing plants and food service establishments, apply only when plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operation. KEEP OUT OF REACH OF CHILDREN. Remove fishbowls, bird cages, pets before treatment. Do not spray on plastic, painted or varnished surfaces. Do not spray closer than 90 cm to fabric.

FIRST AID: If swallowed DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY OR CONTACT A POISON CONTROL CENTRE.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Act to use a control product under unsafe conditions.

DISPOSAL: 1. Rinse the emptied container thoroughly and add the rinsings to the treatment site. 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))