

2000/2001

AGRICULTURAL

1000 L

PREMIERE<sup>J</sup> PLUS FLOWABLE  
Seed Treatment

A Dual Purpose Seed Treatment for  
Control of Seedborne Black Leg and Alternaria Black Spot in  
Mustard, Pre-emergence Damping-off and Seed Decay of Mustard,  
and Flea Beetles During Germination and Early Emergence of  
Seedlings.

DANGER      POISON

KEEP FROM FREEZING

SHAKE OR STIR WELL BEFORE USING

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

thiabendazole	1.6%
thiram	4.8%
lindane	40.0%

REGISTRATION NO. 21020

PEST CONTROL PRODUCTS ACT

Imported by:  
ZENECA Agro,  
a business of ZENECA Corp.  
250-3115 12<sup>th</sup> Street NE  
Calgary, AB T2E 7J2

EPA Est No 43704-NB2  
Made in U.S.A.

PREMIERE is a trademark of a Zeneca Group Company

A98/A-3

ZENECA

## PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. May be harmful if dust arising from treated seed is inhaled. Wear a dust mask or respirator fitted to exclude dust. Avoid contact with skin, eyes and clothing.

Wash hands and face thoroughly after handling or using and before eating or smoking.

Wash contaminated clothing before re-use.

Do not consume alcoholic beverages immediately before or within 24 hours of working with thiram.

Do not use treated seed for feed or oil purposes.

## FIRST AID

If swallowed, drink one or two large glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Call a physician or contact a poison control centre immediately. Never give anything by mouth to an unconscious or convulsing person.

For eyes, flush for at least 15 minutes with plenty of water and call a physician immediately.

In case of skin contact, wash thoroughly with soap and water.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

## TOXICOLOGICAL INFORMATION

PREMIERE Plus Flowable is a very mild skin irritant, a mild eye irritant and a potential skin sensitizer. Treat symptomatically. Lindane is an organochlorine insecticide. Barbiturates may be given to control convulsions. Oxygen may be indicated. Keep patient quiet. Avoid use of morphine and adrenaline. Symptoms of Lindane Poisoning - Nausea, vomiting, hyper-irritability, convulsions and/or coma, and other symptoms typical of organochlorine insecticide poisoning. Thiram may cause allergic eczema in sensitive skin. Consumption of alcoholic beverages increases the toxic effects of thiram.

## EMERGENCY TELEPHONE NUMBER

All hours, 1-800-327-8633 (FASTMED) ONLY for health and environmental information.

#### STORAGE

Store product in a cool, dry, well ventilated area away from food and feed, and out of reach of children and animals. Keep product from freezing.

#### SPILL CLEANUP

If container is leaking, secure leak and place container in a heavy plastic bag or drum and contact Zeneca Agro for disposal instructions (see EMERGENCY TELEPHONE NUMBER).

For spills or leaks, contain the liquid and absorb on inert material (sand, clay, kitty litter etc.) and shovel into a sealable, waste container. After initial cleanup of surface, cover surface (other than dirt) with detergent and mix with a small amount of water. Scrub area with a stiff brush, let stand for 10 minutes and then absorb onto an inert material. Shovel into waste container. If spilled on earth, remove top 15 cm of soil and replace with clean soil. Dispose of all wastes including scrub brush in accordance with provincial requirements. See DISPOSAL section.

#### DISPOSAL

##### Recyclable Container:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

- 1) Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- 2) Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of container in accordance with provincial requirements.

##### Refillable Container:

For disposal, this container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse this container for any other purpose.

Returnable Container:

Do not reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase (distributor/dealer).

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE:

10 L of PREMIERE Plus Flowable treats 355 kg of seed.  
100L of PREMIERE Plus Flowable treats 3550 kg of seed.  
1000 L of PREMIERE Plus Flowable treats 35,500 kg of seed.

SHAKE OR STIR WELL BEFORE USING

PREMIERE Plus Flowable is a specially formulated product for control of seedborne black leg of mustard (*Leptosphaeria maculans* and *Phoma lingam*), seedborne alternaria black spot (*A. raphani* and *A. brassicae*), pre-emergence damping-off and seed decay diseases, and flea beetles in mustard. It is for use in liquid seed treating equipment.

NOTE: This treatment provides protection against flea beetles only during germination and early emergence. For additional protection against flea beetles, apply a registered granular insecticide at planting and/or use a registered foliar insecticide.

This treatment provides only early season control against seedborne black leg and alternaria black spot.

APPLICATION: Apply PREMIERE Plus Flowable at 700 mL per 25 kg of seed. It is for use in liquid seed treating equipment. Best coverage is obtained when both PREMIERE and the seed to be treated, are stored above 0EC before and during treating of seed.

STORAGE of treated seed: Treated seed may be stored for up to 4 months. Label all unplanted treated seed as follows: "Poisonous to man and animals. This seed has been treated with thiabendazole, thiram and lindane for the control of diseases and insects. Do not use as food and feed. Do not sell to oil mills".

Treated mustard seed stored for periods in excess of 4 months may decrease in germination at a faster rate than untreated seed. Treated seed stored for more than 4 months should be tested for germination before planting.

WARNING: Do not use on seeds other than those listed on the label. PREMIERE Plus Flowable is unsuitable for other crops.

CAUTION: Wear chemical resistant gloves, long sleeved clothing, goggles or safety glasses while handling product and treated seed. Wear a respirator fitted for dust protection and goggles to avoid dust that may be present during bagging or bulk handling of treated seed.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

PROPER SHIPPING NAME

Organochlorine Pesticides, liquid, toxic, N.O.S  
(Lindane solution). Class 6.1 (92). UN 2996, P.G. 111

6

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information

obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )