

90.02.07

TrueGrit(R)

Gopher-Rid*

Pelleted gopher and rodent bait

Net wt. 454 g

Kills Pocket Gophers,
Ground Squirrels, Rats
and Mice

GUARANTEE: Zinc Phosphide ... 2%

CAUTION: KEEP OUT OF REACH OF CHILDREN

READ LABEL BEFORE USE

REGISTRATION NO. 19114
PEST CONTROL PRODUCTS ACT

COMMERCIAL

Sanofi Santé Animale, Canada, Inc.
Victoriaville, Qc,
G6P 1B1
Canada

(R) Reg'd TM of CEVA Laboratories, Inc. * GOPHA-RID is a
trademark of Bell Laboratories, Inc.

DIRECTIONS: The use of TrueGrit GOPHER-RID is intended for
outdoor applications. Any use of this product indoors must be in
protected bait station or tamperproof box.

TO CONTROL Norway rat (*Rattus norvegicus*) and Roof Rat (*Rattus
rattus*) around farm buildings, feed barns, storage sheds, poultry
houses and industrial buildings, place bait in level teaspoonful

amounts in rat burrows, harbourages, along walls (protected placements) where rat signs are apparent. Do not leave bait accessible to children, pets domestic animals and birds.

TO CONTROL Mice (*Mus musculus*), place 5g of bait every 2.5 - 3.7 m in protected bait stations or tamperproof boxes. Insure the availability of enough bait until feeding is no longer apparent. Recover bodies of rats and mice where accessible and recover all unused bait. Bury unused bait and bodies to prevent exposure to dogs, other scavengers and wildlife.

OUTDOOR AREAS

TO CONTROL pocket gophers (*Thomomys talpoides*) and ground squirrels i.e.: Richardson's, Columbian, Thirteen-lined and Franklin's (*Spermophilus* sp), place 5g into each burrow. After 10 days, close all burrows to determine the degree of success. If any burrows are re-opened, re-bait. Pre-baiting with clean feed will enhance the acceptance of treated bait.

ORCHARD APPLICATIONS

TO CONTROL deer mice (*Peromyscus* sp) and meadow voles (*Microtus* sp), apply after apple harvest, before snow fall, preferably before leaf fall or lodging of the grass. Apply broadcast as an overall treatment 1.10 - 4.50 Kg\ha, apply by means of cyclone seeder, fertilizer drill or seed drill. Distribution by hand, place 14g around each tree, allow bait to fall through grass or litter to ground surface but do not allow to bare ground. Do not apply if rain is expected. Check area 2 weeks after application and treat again if live mice are found (apple quarters feeding index). Never place bait in heaps or piles. Where there is a hazard to wildlife or pets, place bait in bait stations, use at the rate of 15g of bait per bait station.

PRECAUTION KEEP OUT OF REACH OF CHILDREN. May be fatal or harmful if swallowed. Avoid skin contact, wear rubber gloves if spreading by hand. Avoid inhalation of dust. Do not contaminate feed or food stuff. Avoid all acid contacts. In case of skin or eye contact, flush with plenty of water.

Store this product in dry dark areas out of reach of children, pets or domestic animals. Do not reuse empty container.

FIRST AID: If swallowed, use finger at the back of the throat to induce vomiting. Repeat until vomit fluid is clean. Avoid use

of all oils, call a physician immediately, have patient lie down and keep warm.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL: Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))