

TIMBER SPECIALTIES MOLD INHIBITOR COMMERCIAL

GUARANTEE

5-Chloro-2-methyl-4-isothiazolin-3-one.....10.5 %
2-Methyl-4-isothiazolin-3-one..... 3.5 %

REGISTRATION NO. 24791
PEST CONTROL PRODUCTS ACT



POISON

DANGER



CORROSIVE

POTENTIAL SKIN SENSITIZER

READ THE LABEL BEFORE USING

Net Contents _____

**Timber Specialties Co.
980 Ellicott Street
Buffalo, NY 14209
USA
716-882-5905**

PRECAUTIONS:

**HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
DANGER
CORROSIVE
KEEP OUT OF REACH OF CHILDREN**

**CAUSES EYE DAMAGE AND SKIN BURNS
MAY CAUSE ALLERGIC SKIN REACTION
MAY BE HARMFUL IF INHALED
MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH THE SKIN**

Potential skin sensitizer. Do not get in eyes, on skin, or on clothing. Do not swallow. Avoid breathing vapors and spray mists. Wash skin thoroughly with soap and water after handling. Remove contaminated clothing and wash separately from other laundry before reuse. Wear long pants, a long sleeved shirt, chemical-resistant gloves, a full face NIOSH-approved respirator and a chemical-resistant apron during mixing/loading, clean-up, and repair.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable law as should be determined before using the product. Do not contaminate water by cleaning of equipment or disposal of water.

Store treated lumber on a roofed drip pad until dripping has ceased. Slope lumber on the drip pad to expedite drainage and to ensure that no puddles remain on the surface of the wood. Contain drippage and other related wastes to prevent release in the environment. DO NOT expose treated lumber to heavy rains immediately after treatment. DO NOT float treated lumber in lakes, rivers, streams, or oceans.

STORAGE AND DISPOSAL:

PROHIBITIONS

The product as supplied evolves gas (largely carbon dioxide) slowly. To prevent buildup of pressure the product is packaged in specially vented containers. Keep this product in original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. If plastic, do not reuse empty container.

DISPOSAL:

1. Triple or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required cleaning of the container prior to its disposal.
3. Make the container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills.

DIRECTIONS FOR USE:

WOOD AND WOOD PRODUCTS

TIMBER SPECIALTIES MOLD INHIBITOR tank mixed with CCA-C is recommended for the protection of wood and wood products from mold and mildew degradation when used on wood and wood products listed in the LIMITATIONS section of the CCA preservative label.

Treat with 7.5 ppm - 12 ppm of TIMBER SPECIALTIES MOLD INHIBITOR (7.5 ml – 12 ml per 1000 liters, or 9.4 g – 15 g per 1000 liters) in CCA-C dilute solution in the pressure treating process for mold and mildew control. Under extreme mold and mildew conditions the addition of TIMBER SPECIALTIES MOLD INHIBITOR may be used up to a maximum concentration of 30 ppm (30 ml per 1000 or 37.5 gm per 1000 liters).

Thoroughly wet and allow to dry. This application will afford protection for up to 12 weeks.

The product weighs 1.25 kg per litre (12.5 lbs per imperial gallon).

For further information on storage, handling, use and disposal of treated wood, contact the manufacturer of this product or the provincial regulatory agency.

DANGER: FIRST AID

IF SWALLOWED: Do not induce vomiting. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or poison control center immediately.

IF INHALED: Remove immediately to fresh air. If not breathing, apply artificial respiration. If breathing is difficult, give oxygen. Call a physician or a poison control centre.

IF ON SKIN: Wash thoroughly with soap and water. Remove and wash contaminated clothing before reuse. Call a physician or a poison control centre.

IF IN EYES: Flush eyes with plenty of water for at least 15 minutes. Call a physician or a poison control centre.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Skin burns and corrosion may be delayed for several hours.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.