

92.11.20

NALCO

Read the label before using

NALCO-TROL

Emulsion drift control additive

COMMERCIAL

GUARANTEE: POLYVINYL POLYMER.....30%

CONTENTS 4 L

REGISTRATION NO. 13582
PEST CONTROL PRODUCTS ACT

NALCO CANADA INC. BURLINGTON, ONTARIO -
P.O. BOX C.P. 5002 L7R 3Y9 TEL: (416) 632-8791
EDMONTON, ALBERTA - P.O. BOX 340
T5J 2J6 TEL: (403) 449-5252
IN CASE OF EMERGENCY, PHONE (1-800-463-3216)

DIRECTIONS FOR USE

FOR NALCO-TROL:

NALCO-TROL can be used with 2,4-d esters and amine formulations. NALCO-TROL can also be mixed with triclopyr, picloram, paraquat, simazine and dicamba. NALCO-TROL may be used with the above herbicides for drift control on non-crop locations such as utility right-of-way, drainage ditch banks and fence rows. Do not use NALCO-TROL on crops or grass lands used for forage or grazing. Do not use NALCO-TROL for aquatic weed control. Follow instructions on herbicide label for rates and timing.

IMPORTANT:

Always shake the NALCO-TROL container well before use. Never add water to the NALCO-TROL container.

STEP 1

Select correct NALCO-TROL dosage from chart on back.

STEP 2

Shake NALCO-TROL container well. Always add wettable powder herbicides before NALCO-TROL and assure dispersion prior to NALCO-TROL addition. For liquid herbicides NALCO-TROL should be added first and mixed for 10 minutes prior to the herbicide addition. The measured amount of the herbicide addition. The measured amount of NALCO-TROL should be added as a pencil-thin stream to the agitation tank mix or for tanks with weed agitation to the surface agitation created during the tank filling operation.

STEP 3

Continue to agitate mix tank for at least 5 minutes before use.

FIRST AID

If swallowed, do not induce vomiting. Call a physician immediately or rush patient to nearest hospital taking this labelled container with you.

In eyes or on skin, wash with water. If irritation persists, get medical attention.

PRECAUTIONS

May cause irritation to skin and eyes.

Since this product is extremely slippery, care should be taken when working on spray equipment, following a spill. petroleum solvents or hot water may be used to clean equipment.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.

4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Conservation and Protection, Environment Canada.

TOXICOLOGICAL INFORMATION

If swallowed, gastric distress or nausea may occur.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

BRUSH CONTROL - NON-CROPLAND APPLICATIONS			
Spray pressure	Spray Height	Nozzle Type	NALCO-TROL Dosage
Up to 200 kPa	45-60 cm	Flat Fan, Flooding and off centre	250-500 mL/1000L spray solution
200-350 kPa	45-60 cm	Flat Fan, Flooding and off centre	400-500 mL/1000L spray solution
150-350 kPa	45-60 cm	Cone or Raindrop	150-350 mL/1000L spray solution
200-275 kPa	1.5 m maximum	Peacock	3-5 L/1000 L spray solution
AERIAL APPLICATIONS			
Spray pressure	Nozzle Orientation	NALCO-TROL Dosage	
Up to 300 kPa	Straight back	500-750 mL/1000L spray solution	
Up to 300 kPa	45° Angle in back position	750-1000 ml/1000L spray solution	

NOTE: Drift potential increases with increasing spray pressure and height. Keep nozzle pressure and height as low as possible.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))