

88.07.06

BAYTEX(R)

Technical Insecticide

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

READ THE LABEL BEFORE USING

GUARANTEE:

Fenthion O, O-Dimethyl O-[3-methyl-4-(methylthio)phenyl]
phosphorothioate 93%

REGISTRATION NO. 20790 PEST CONTROL PRODUCTS ACT

DO NOT STORE BELOW 45°F.
KEEP IN A COOL, DRY PLACE.

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

If poisoning occurs obtain prompt medical aid. In case of spillage cover with an absorbent such as soda ash, clay or sawdust. Sweep up and bury. Wash area with strong lye solution. Do not reuse container for any purpose. Destroy empty container.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz or 15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth

to an unconscious person. Professional medical assistance should be secured immediately.

TO PHYSICIAN: ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

The product is toxic to fish, wildlife, and birds. Do not contaminate water by cleaning of equipment or disposal of wastes.

CONTAINER DISPOSAL: Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or flames.

NOTICE TO USER: This product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

NET WEIGHT KILOGRAMS

Manufactured By:

MOBAY CORPORATION
A Bayer U.S.A. INC. COMPANY
AGRICULTURAL CHEMICALS DIVISION
Box 4913, Kansas City, Missouri 64120
(Telephone: 816-242-2000)

BAYTEX is a Reg. TM of Bayer AG, Germany
EPA Est. 3125-MO-1

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace

the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))