

2000/2005

BAYGON®
READY TO USE IN THERMAL FOGGERS INSECTICIDE

FOR CONTROL OF ADULT MOSQUITOES AND ADULT BLACKFLIES, AROUND RACE TRACKS, GOLF COURSES, AMUSEMENT PARKS, CAMP AREAS, RESORTS, MOTELS, OUTDOOR THEATRES, ROADSIDE STANDS, FARMS, WAREHOUSES.

CONTAINS PROPOXUR

COMMERCIAL

GUARANTEE: PROPOXUR*..... 1%

U.S. PATENT NO. 3,111,539
CANADIAN PATENT NO. 725,204

REGISTRATION NUMBER 13934 PEST CONTROL PRODUCTS ACT

WARNING POISON

KEEP OUT OF REACH OF CHILDREN
(See Rear Panel for First Aid and Precaution Statements)
READ THE LABEL BEFORE USING

NET CONTENTS _____-LITRES

Bayer
BAYER INC.
Agriculture Division, Animal Health
77 Belfield Road
Toronto, Ontario, Canada M9W 1G6

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

GENERAL

A ready to use formulation of the proven insecticide BAYGON rapid knockdown and kill of adult mosquitoes and blackflies in outdoor areas. Maintains its killing efficiency at low temperatures.

DIRECTIONS FOR USE

Read and understand the directions for the fogger being used. Fill the insecticide tank of the fogger as directed. For best results in smaller areas, apply a dense fog when the air is calm. Allow the fog to drift over the area to be treated to contact as many insects as possible. The best time to fog is when most of the mosquitoes and blackflies are actively flying; that is, evening or early morning. Also at this time there is generally little wind and rising air currents are at a minimum. Larger areas will be more easily covered if application are made when the winds are light and at right angles to the wind. Under these conditions, fog will drift approximately 90 m downwind. Application should be at the rate of 30 mL/100 m² of areas being treated.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed. Avoid inhalation or skin contact. Wash thoroughly after using. Do not contaminate feed or food and do not apply to croplands. Avoid contamination of animal feeding areas, such as pastures and other foraging areas. Do not contaminate water supplies, streams, lakes or ponds. Do not use as an indoor space spray. Do not apply to animals or humans. Toxic to bees. Do not treat plants directly.

FIRST AID

In case of poisoning call a physician or poison control centre immediately. Have patient lie down and keep quiet. **If swallowed**, vomiting should be induced. Administer milk or water freely and induce vomiting by giving one dose (15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer a second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below the foot level and facing down or to one side. Professional medical assistance should be secured immediately. **DO NOT INDUCE VOMITING TO AN UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE.** **If on skin**, remove contaminated clothing and wash skin immediately with soap and warm water. **If eyes are contaminated**, wash immediately with flowing water for at least 15 minutes. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Propoxur inhibits cholinesterase resulting in stimulation of the central nervous system. This results in a sense of "tightness" in the chest, sweating, contracted pupils, stomach pains, vomiting, and diarrhea. The antidote is atropine sulphate administered in large therapeutic doses repeated as necessary to the point of tolerance. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

DISPOSAL

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

®Baygon is a registered trademark of Bayer AG, used under licence by Bayer Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))