

85.12.31

ORCHARD LIME SULPHUR
INSECTICIDE - FUNGICIDE

AGRICULTURAL

READ LABEL BEFORE USING

REG. NO. 9224 PEST CONTROL PRODUCTS ACT

NET CONTENTS

1 Litre
4 Litres
20 Litres
205 Litres

FIRST AID:

In case of contact, wash eyes or skin immediately. Get medical attention for eyes.

GUARANTEE:

SULFIDE SULPHUR 22%
SPECIFIC GRAVITY AT 15.5'C- 1.28

GROWERS SUPPLY CO. LTD.
WHOLESALE & RETAIL
TELEPHONE 762-2648
421 CAWSTON AVENUE
KELOWNA, B.C. V1Y 6Z1

HARDWARE . PLANTS. FEED . SEED . ORCHARD SUPPLIES

SUGGESTIONS FOR USE:

Dormant or Delayed Dormant Sprays

On Apples and Pears - for control of scale insects, blister mites, rust mites, use at rate of 10 litres per 100 litres of water as a conventional or full volume spray or at rate of 4 litres with 2 litres of Dormant Oil Emulsion for additional control of brown and red mites.

On Stone Fruits - for the control of scale insects, silver (except apricots) mites, peach twig borer, aphids, coryneum blight, peach leaf curl, use at the rate of 2 litres with 2 litres of Dormant Oil Emulsion for additional control of brown and red mites.

Pre-Pink, Pink Sprays

On all sulphur tolerant varieties of apples and pears for control of scab and powdery mildew, use at the rate of 2 to 3 litres per 100 litres of spray.

CONSULT YOUR FIELDMAN OR EXTENSION SERVICE
FOR SPECIFIC INFORMATION

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the pest control products act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

PRECAUTION

- Do not use lime sulphur on apricots.
- Do not use oil with lime sulphur in summer applications.
- Do not apply oil after an application of lime sulphur, nor lime sulphur after application of oil, until sufficient time has elapsed for safety, at least 30 days.

WARNING - Avoid contact with eyes and skin.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this

service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))