

24-APR-2002

CO-OP

**CONTROL® SUPER
CONCENTRATE**

**GLYPHOSATE
NON-SELECTIVE HERBICIDE**
Water Based

Brush, Grass & Broadleaf Weed Control Liquid
Controls entire plant, burns off leaves and stem and kills root

DOMESTIC
KEEP OUT OF REACH OF CHILDREN
WARNING- EYE IRRITANT

GUARANTEE: Glyphosate 356 g/L present as isopropylamine salt

REGISTRATION NO.: 27007 PEST CONTROL PRODUCTS ACT

NO RESIDUAL ACTIVITY IN SOIL

1 L Treats 1000 m²

READ THE LABEL BEFORE USING

NET CONTENTS: 1 L

Interprovincial Cooperative Ltd.
P.O. Box 1050
Saskatoon, SK S7K 3M9

® Control is a registered trademark of Interprovincial Cooperative Ltd.

**In case of a medical emergency involving this product, call toll free day or night
1-800-228-5635, x 153.**

USES: ALONG FENCE LINES, ENDING/TRIMMING LAWNS, TREES AND SHRUBS,
PATIO WEED CONTROL, LAWN/GARDEN RENOVATION, HARD-TO-MOW AREAS,
BRUSH CONTROL

PRECAUTIONS

CAUSE EYE IRRITATION, HARMFUL IF SWALLOWED. Avoid contact with eyes or prolonged contact with skin. KEEP OUT OF REACH OF CHILDREN AND PETS, KEEP CHILDREN AND PETS OFF TREATED AREA FOR 24 HOURS OR UNTIL DRY. Wash immediately after using this product. Do not contaminate water, foodstuffs, seed or feed by storage or disposal. Do not reuse container.

Spray solutions of this product should be mixed, stored and applied only in stainless steel, aluminium, fibreglass, plastic and plastic-lined steel containers. Do not mix, store or apply this product or spray solutions of this product in galvanized steel or unlined steel (except stainless steel) containers or spray tanks. This product or spray solutions of this product react with such container and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source.

FIRST AID

If on skin, immediately flush with plenty of water. Remove contaminated clothing. Wash clothing before reuse.

If ingested, immediately dilute by swallowing water or milk. Contact a physician or poison control centre.

If in eyes, immediately flush with plenty of water for at least 15 minutes. Contact a physician or Poison Control Centre. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

DISPOSAL

Rinse container and empty rinsing into sprayer. Do not re-use container. Wrap and dispose of empty container with household garbage.

GENERAL PRODUCT INFORMATION

CONTROL® SUPER is a non-selective herbicide. It controls most annual and perennial grasses, including lawn grasses, broadleaf weeds and brush (i.e. virtually anything that is green and growing). It is absorbed by the leaves and moves throughout stem and roots to control the entire plant. Mature perennial weeds should be treated after seed head, flowers or fruit appear. All plants are most easily controlled in the young, actively growing, seedling stage.

CONTROL® SUPER wilts and browns plants within 48 hours. Plants usually dry up within 7 days.

CONTROL® SUPER, has no soil activity and will not run off to affect nearby vegetation. To ensure that CONTROL® SUPER gets down to the roots, avoid tillage or disturbing the treated area for 7-10 days after treatment or as directed below. Make sure to contact only those plants that you want to kill.

CONTROL® SUPER will damage or kill any desirable plants it contacts. Use a repeat application on any seedlings that re-grow from seeds.

DIRECTIONS

Mix 40 mL of CONTROL® SUPER Concentrate Herbicide in 2 L of water. Apply the 2 L of spray solution to 40 m². (2 paces by 20 paces or 4 paces by 10 paces) or apply to wet the leaves

and stems but not to runoff.

Patios, Driveways, Around Trees and Fence Posts, Along Fence Lines and Edges of Lawns:

Apply to young growing vegetation if possible. When spraying around trees take care not to contact leaves or young green bark.

Lawn & Garden Renovation: To kill grasses such as quack grass and other undesirable species in lawns and ornamental and vegetable gardens, apply at rate described above. In lawns apply only to the area where control is desired. Drift or application to desirable plants or grasses around the target area will be killed. Allow 3 days before disturbing the soil or replanting. This will ensure time for the product to penetrate and kill the roots. This container will treat up to 500 m² (500 mL), 1000 m² (1L).

Brush Control: Apply at rate described above. Wet leaves, but do not apply to run off. Apply when leaves are fully expanded. Cut back growth to 1.5 m before treatment. Contact all leaves and green bark.

CAUTION: Avoid spray contact on desirable plants as any plant contacted may be killed. Do not spray in windy conditions. Do not spray to the point of run-off. Heavy rainfall immediately after application may wash the chemical off the foliage and repeat treatment may be required. Do not apply if rainfall is forecast for the time of application.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))