

96.12.18

CYGON
AGRICULTURAL
HOPPER STOPPER
SYSTEMIC INSECTICIDE
BRAN BAIT

GUARANTEE: DIMETHOATE 5.2%

REGISTRATION NO. 18710

PEST CONTROL PRODUCTS ACT

CAUTION POISON

READ THE LABEL BEFORE USING

NET WEIGHT 20 KG.

IN CASE OF AN EMERGENCY ENDANGERING LIFE OR PROPERTY INVOLVING
THIS PRODUCT, CALL COLLECT DAY OR NIGHT 1-613-996-6666

PEACOCK INDUSTRIES INC.
BOX 217
RR #3 SASKATOON, SASKATCHEWAN
S7K 3J6

REGISTERED TRADEMARK OF CYANAMID CANADA INC.

DIRECTIONS FOR USE

For the control of GRASSHOPPERS on pastures, roadsides, forages,
cereal crops and waste areas.

For ground or aerial broadcast application.

For moderate infestations of young grasshoppers: 2.0 kg of bait
per hectare.

For Severe Infestations of young grasshoppers: and moderate or

severe infestations of adult grasshoppers, or all instances where the crop canopy is thick: 3.0 kg of bait per hectare. (2.75 lb of bait per acre)

The bait should be broadcast in a manner that will spread the required amount evenly over the area to be treated.

REPEAT APPLICATIONS ONLY AS NECESSARY BUT NOT MORE FREQUENTLY THAN ONCE A WEEK DURING PERIOD OF HEAVY INFESTATION AND ONCE EVERY TWO WEEKS DURING MODERATE TO LOW INFESTATIONS.

MAY BE SPREAD ON PASTURELAND WHILE BEEF CATTLE ARE GRAZING

DO NOT HARVEST OR GRAZE DAIRY CATTLE FOR 48 HOURS AFTER APPLICATION

MAY BE SPREAD ON ALFALFA AND CLOVERS OR ANY FORAGE CROPS WITHOUT HARM TO HONEY BEES, LEAFCUTTER BEES, OR OTHER POLLINATORS.

WHEN APPLIED BY GROUND APPLICATION EQUIPMENT KEEP BACK 25 METRES FROM SLOUGHS, PONDS, STREAMS, DUGOUTS OR OPEN WATER. BY AERIAL APPLICATION ALLOW A 100 METRE SETBACK. APPLY BY AIR WHEN WINDS ARE BETWEEN 5-8 KM/HOUR AND WHEN CONDITIONS DO NOT FAVOUR DRIFT.

LEAVE A 21 DAY INTERVAL BETWEEN LAST APPLICATION AND HARVEST OF GRAIN.

LIMITATIONS ON USE

STORE APART FROM FOOD AND FEEDS.

This product is highly attractive but TOXIC to livestock and pets. To avoid accidental poisoning:

- 1) Use bag completely when opened.
- 2) Do not transfer product to any other container. If excess product must be stored, keep bag tightly closed, and store in places NOT ACCESSIBLE TO ANIMALS AND CHILDREN.
- 3) Load hopper at application site only. DO NOT LOAD APPLICATION EQUIPMENT in farm yard where animals may lick or eat spilled bait. Clean up all spills immediately.
- 4) Do not allow product to contaminate feed troughs or drinking water.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label, and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

HAZARDS

May be fatal if inhaled, swallowed or absorbed through the skin.

PRECAUTIONS

Avoid breathing vapour from bait. Use only in well ventilated areas. Harmful if swallowed. Avoid contact with skin. May cause eye irritation. Wash thoroughly after handling and before eating or smoking.

- AVOID CONTAMINATION OF FEED AND FOOD-STUFFS
- KEEP OUT OF REACH OF CHILDREN
- KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAME

FIRST AID INSTRUCTIONS

If symptoms of poisoning occur seek medical or veterinary attention.

If on skin, wash thoroughly with soap and water.

If in eyes, flush with plenty of water for at least 15 minutes.

If swallowed; induce vomiting immediately; get medical attention.

TOXICOLOGICAL INFORMATION

Symptoms of poisoning are: anorexia (loss of appetite), nausea, vomiting, diarrhea, excessive salivation, pupillary constriction, bronchoconstriction, muscle twitching, convulsions, coma, respiratory failure. This product may cause cholinesterase inhibition. Give 1-2 mg of atropine sulphate intramuscularly or intravenously every 15 to 30 minutes until fully atropinized.

DISPOSAL

Clean up any spilled bait. Small quantities of leftover bait can be broadcast on wastelands at application rate recommended for grasshopper control. Empty bags completely. Do not burn empty bags but take to an approved land fill site for disposal according to provincial regulations.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))