

24-AUG-2007

NET CONTENTS: XXX
Code YYY

DISVAP III
Insecticide Solution

Ready to use
Shake well before using

WITH CITRONELLA FRAGRANCE

AGRICULTURAL

For horse stables and barns

GUARANTEE (W/W)

Dichlorvos	0.20%
Pyrethrins	0.02%
Piperonyl Butoxide	0.10%
Di-N-Propyl-isocinchomeronate	0.30%

CAUTION

POISON

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

REGISTRATION NUMBER: 15967 PEST CONTROL PRODUCTS ACT

VÉTOQUINOL N.-A. INC.
2000, ch. Georges, Lavaltrie QC Canada J5T 3S5
1-800-363-1700

XXX : 4 L, 10 L, 20 L
YYY : 02302026 (4 L), 02302015 (10 L), 02302027 (20 L)

DIRECTIONS FOR USE: To control gnats, horn flies, stable flies and mosquitoes. Ready-to-use solution.

Kills flying insects in horse stables and barns. Direct spray on surfaces to all parts of the room especially windows and other light sources. Spray at a rate of 200 ml to 300 ml of solution per 100 m³. Remove all animals from barn before using. For best results, close all doors and windows during treatment. Leave room closed for 10 minutes before ventilating. Ventilate treated areas thoroughly for at least 30 minutes before animal re-entry. Spray only when temperature is under 32°C.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not use on horses intended for slaughter. Remove animals from quarters before treating premises and ventilate area thoroughly before re-admitting animals. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Do not use in rooms where milk is processed, handled or stored. Cover milking utensils to prevent contamination from spray and dead insects. (Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before reuse.) Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes and clothing. Wash exposed skin area. Wash thoroughly with soap and water after handling and before eating or smoking. Do not breathe spray mist. Wash contaminated clothing before reuse. Do not contaminate feed, water troughs, food or litter. Do not contaminate any body of water. Do not use in areas where beekeeping equipment or supplies are stored. Store in original container away from feed and food. Keep tightly closed.

ENVIRONMENTAL HAZARD: Highly toxic to crabs, fish and shrimps. Harmful to wildlife if allowed to contaminate lakes and streams. Do not apply this product directly to aquatic habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs, ditches and wetlands), estuaries or marine habitats. Do not contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

DISPOSAL: 1. Triple- or pressure rinse the empty container. Add the rinsings to the spray mixture in the tank. 2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. 3. Make the empty container unsuitable for further use. 4. Dispose of the container in accordance with provincial requirements. 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Dichlorvos is a cholinesterase inhibitor. ATROPINE is antidotal. Morphine is contraindicated. Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.