

89.06.09

weed
away

2,4-D Ester
LOW VOLATILE
700

LIQUID HERBICIDE

AGRICULTURAL

READ THE LABEL BEFORE USING

GUARANTEE: 2,4-D 700 g/L
(Present as iso-octyl ester)

REGISTRATION NO. 17412
PEST CONTROL PRODUCTS ACT

20 LITRES

WARNING POISON

INTERPROVINCIAL COOPERATIVE LIMITED. P.O. BOX 1050.
SASKATOON, SASKATCHEWAN S7K 3M9

WINNIPEG TORONTO MONTREAL MONCTON

DIRECTIONS:

For ground or air application. Add water to spray tank until 1/2 full. Add 2,4-D Ester 700 then complete filling with water and mix thoroughly. Treat weeds when small for best results at the least cost. use 60-240 litres of water per hectare unless otherwise specified.

WHEAT, BARLEY, RYE

Treat from third leaf to the early shot blade stage. Do not treat cereals underseeded to legumes.

EASILY KILLED WEEDS: Mustard, Lambs Quarters, Shepherd's Purse, Stinkweed, Flixweed, Ragweed, Blue Bur, Kochia, Prostrate Pigweed, Cockle Bur, Prickly Lettuce. Small Seedlings growing

rapidly 475 mL/ha. Weeds in bud, dry or cool weather, heavy infestation 850 mL/ha.

HARDER TO KILL WEEDS: Red Root Pigweed, *Sow Thistle, *Canada Thistle, *Leafy Spurge, *Blue Lettuce, Dog Mustard, Common Peppergrass, Russian Thistle. (*) Top growth suppression only. Small seedlings growing rapidly 925 mL/ha. Weeds in bud, dry or cool weather, heavy infestation. 1.1 L/ha.

FALL WHEAT

Treat in spring only from full tillering to early shot blade stage. Do not treat wheat underseeded to legumes. Dosages above 785 mL may cause injury. SUSCEPTIBLE WEEDS Small seedlings actively growing 475 mL/ha Bud stage adverse weather 700 mL/ha RESISTANT WEEDS Small seedlings actively growing 785 mL Bud stage, adverse weather 785 mL

GRASS PASTURES

Treat in spring or fall for best results. Treat only established pastures. Apply 1.5-2.5 litres per hectare. Use the lower rates for young, susceptible weeds and the higher rates for older weeds and resistant weeds. Use 100-400 litres of water per hectare. Use the higher rates of water when foliage is heavy.

WEEDS AND BRUSH IN NON-CROP LAND

FOLIAGE TREATMENT: 3.25-6.25 litres per hectare. Use sufficient water to thoroughly wet the foliage (800-1600 litres per hectare).

BASAL BARK & STUMP TREATMENT: 2.25 litres in 100 litres of diesel fuel.

TANK MIXES WITH LOW VOLATILE 2,4-D ESTER 700

Use tank mixes only when they are registered and recommended for use. Read and follow directions on both products used in a tank mix. Low volatile 2,4-D Ester 700 at 600-800 mL of product per hectare combined with Avenge(R) 200-C at 3.5-4.25 litres per hectare of product. Apply in 100 litres of water per hectare. Add 2,4-D first then add Avenge(R) 200-C. Use only on BARLEY, NEEPAWA, GLENLEA, SELKIRK, CHESTER AND MACOUN WHEAT to control WILD OATS AND 2,4-D susceptible broadleaf weeds. Apply at the 3-5 leaf stage of Wild Oats. DO NOT use 2,4-D Amine in combination with Avenge(R) 200-C.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and shoes before re-use. Do not contaminate streams, lakes, ponds, irrigation ditches or waters used for livestock or domestic purposes. Keep in original container during storage. Do not store near seeds,

fertilizers, insecticides or fungicides. Do not store at temperatures below freezing. Do not spray on windy days or allow spray, mist or vapours to contact plants other than those being treated. Do not use sprayers which have contained 2,4-D to apply other pesticides to crops.

FIRST AID:

On skin, wash immediately with soap and water. IN EYES, flush with water for 15 minutes, then seek medical attention.

DISPOSAL PROCEDURES

Destroy empty container. Dispose of wastes by burying in a non-crop area away from all water supplies. Follow local regulations if they have been established.

NOTICE TO USER

This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NON-WARRANTY

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Avenge(R) - Reg'd T.M. of Cyanamid Canada Inc.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))