Multi-Clean (R)

FUL-TROLE

DISINFECTANT - CLEANER - SANITIZER
FUNGICIDE - MILDEWSTAT - VIRUCIDE
DEODORIZER with Organic Soil Tolerance
for Schools, Industry, and Non-Medical Institutions

COMMERCIAL

CAUTION POISON CORROSIVE

GUARANTEE:

Alkyl (40% C12, 50% C14, 10% C16)
dimethyl benzyl ammonium chloride 0.720%
Octyl decyl dimethyl ammonium chloride 0.540%
Dioctyl dimethyl ammonium chloride 0.216%
Didecyl dimethyl ammonium chloride 0.324%

REGISTRATION NO. 23442
PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET CONTENTS: 3,78 Litres (1 U.S. Gal.)

KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO:

See side panel for precautionary statements. For institutional and commercial use only.

MULTI-CLEAN (R)
Principal Chemical Office
600 Cardigan Road
Shoreview, MN 55126
(612)-481-1900

CANADIAN BRANCH: 2210 Drew Road

Mississauga, Ontario L5S 1B1 (905)670-1063

8/00

FUL-TROLE is a multi-purpose industrial cleaner which disinfects as it cleans. It is formulated for schools, non-medical institutions and industry. A single cleaning step removes dirt and grime, disinfects, is virucidal, fungicidal and inhibits growth of mold and mildew and their odors. When used as directed, the hard surface disinfecting action of FUL-TROLE will reduce the hazard of cross-contamination. FUL-TROLE is an effective one-step sanitizer cleaner for use on non-food contact surfaces.

When used as directed FUL-TROLE will destroy odor-causing bacteria in toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause malodors.

PRECAUTIONARY STATEMENTS: KEEP OUT OF REACH OF CHILDREN. DANGER - Corrosive to eyes. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these ate not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

DISPOSAL:

- 1. Rinse the emptied container thoroughly and add the rinsings to treatment site.
- 2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3. Dispose of the container in accordance with provincial requirements.
- 4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
- 5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE: FUL-TROLE is a proven "one-step" cleaner - disinfectant - sanitizer - fungicide - mildewstat - virucide in the presence of moderate amounts of organic soil. Apply FUL-TROLE to walls, floors and other hard (inanimate) non-porous surfaces such as tables, chairs, countertops, sinks and bedframes with a cloth, or mop so as to thoroughly wet surfaces. For heavily soiled areas, a preliminary cleaning is required. Prepare a fresh solution daily or when use-solution becomes visibly dirty.

DISINFECTION: To disinfect hard non-porous surfaces, add 15.6 mL/L (2 oz./gal.) of water. Treated surfaces must remain wet for 10 minutes. The activity of FUL-TROLE has been evaluated in the presence of 5% serum by the AOAC use-dilution test and found to be effective against a broad spectrum of gram negative and gram positive organisms as represented by: Staphylococcus aureus, Streptococcus pyogenes, Serratia marcescens, Shigella dysenteriae, Salmonella choleraesuis, Escherichia coli, Klebsiella pneumoniae, Salmonella typhi, Brevibacterium ammoniagenes, Salmonella schottmuelleri.

NON-ACID TOILET BOWL DISINFECTANT/CLEANER APPLICATION: Empty toilet bowl or urinal and apply 15.6 mL/L (2 oz./gal.) use-solution to exposed surfaces including under the rim with a cloth, mop or sponge.

FUNGICIDAL PERFORMANCE: FUL-TROLE is an effective fungicide against Trichophyton mentagrophytes (the athlete's foot fungus) when used on surfaces such as locker rooms, dressing rooms, shower and bath areas, exercise facilities, etc., at 15.6 mL/L (2 oz./gal.).

MOLD AND MILDEW CONTROL: At 15.6 mL/L (2 oz./gal.) FUL-TROLE will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

VIRUCIDAL PERFORMANCE: At 15.6 mL/L (2 oz./gal.) use-level, FUL-TROLE was evaluated in the presence of 5% serum and found to be effective against the following viruses: Influenza A/Brazil, Herpes Simplex Type 1 and Vaccinia, on inanimate hard, non-porous environmental surfaces.

SANITIZING NON-FOOD CONTACT SURFACES: (such as floors, walls, tables, etc.) At 7.2~mL/L (4.5~oz/5~gal.) use-level, 30 second contact time, FUL-TROLE is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae in the presence of 5% serum on hard porous and non-porous environmental surfaces.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))