## MAKI CANARY SEED MOUSE BAIT

WARNING POISON

GUARANTEE/GARANTIE: BROMADIOLONE 0.005%

REGISTRATION NO. 19537 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

NET CONTENTS: 5K / 20K

WARNING POISON

READ THE LABEL BEFORE USING

MADE IN CANADA / FABRIQUE AU CANADA

KEMSAN INC P.O. BOX 727 OAKVILLE, ONTARIO L6J 5C1

A prepared bait, containing MAKI (Bromadiolone) Rodenticide, for the control of house mouse (Mus musculus) in dwellings, farm buildings, food service establishments, processing plants, storage area, feed and food processing plants, and outdoor areas around buildings, where food, feed and food and feed packaging materials are never open or exposed. MAKI will control mice in as little as one feeding.

FOR MOUSE CONTROL: Place bait in trays in inaccessible locations or in protected bait stations in areas where mice feed, water or travel. Use 10-15 grams of bait at each location. Bait locations should be placed 2-3 metres apart. Maintain an uninterrupted supply of bait is available for at least 15 days. Baiting can be continued indefinitely where infestation by mice is a problem. NOTE: If bait molds, decomposes or becomes sour, replace with fresh material.

IMPORTANT: PLACE BAIT IN LOCATIONS WHICH ARE NOT ACCESSIBLE TO CHILDREN, PETS AND DOMESTIC ANIMALS OR PLACE IN TAMPER-PROOF BOXES.

In meat packing and food processing plants, use only when plant is not in operation. Remove or cover all food, packaging materials and utensils before placing baits. Remove all baits and dead rodents before re-use of plant for food processing.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Keep bait away from human beings, domestic animals and pets. Do not contaminate food or feed. Burn or bury bodies of dead rodents. In food processing plants, place bait in protected bait stations on the floor only; do not place in overhead locations. Wash thoroughly any tables, cutting blocks, or equipment accidentally contaminated. Do not apply bait during production hours or near open foodstuffs. If swallowed by human beings, domestic animals and pets, this product may reduce the clotting ability of the blood and cause internal bleeding. Do not contaminate any body of water.

FOR ALL CASES OF HUMAN INGESTION, IMMEDIATELY NOTIFY A PHYSICIAN.

FIRST AID: If swallowed give patient one or two glasses of water and cause vomiting by inserting finger down the throat; repeat until vomit is clear. Call a physician.

TOXICOLOGICAL INFORMATION: In case of accidental swallowing the intravenous and oral administration of Vitamin K1 combined with blood transfusions are indicated as in the case of haemorrhage caused by overdoses of dicumarol.

DISPOSAL AND DECONTAMINATION:

## DISPOSAL:

Do not re-use empty container. Container should be disposed of by punching holes in it and burying with wastes or by

burning(keep out of smoke).

Burn or bury small amounts of surplus products or send to garbage dump in accordance with municipal requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))