

2000/2005

MINTOX

Concentrate

Methoxychlor
Plus

A Double Action Insecticide
with Insecticidal Soap

Controls Sucking
Insects and
Chewing Insects
on Ornamentals,
Vegetables, Fruits,
Shrubs and Trees.

GUARANTEE: Soap
(Potassium salts of fatty acids 40.0%
Methoxychlor 3.8%

REGISTRATION NO. 18946
PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

NET CONTENTS
1 Litre

DOMESTIC

Safer Ltd.
Box 186 Scarborough, Ont
M1R 5B5

DIRECTIONS FOR USE

Mix one part MINTOX with 40 parts water (25 mL Mintox/litre water). Begin treatment at first sign of insects. For best result spray all plant surfaces thoroughly. Repeat application every 10 days as required.

APPLICATION PROCEDURES

Mintox can be applied with hand, backpack and hydraulic sprayers, simply dilute concentrate with water. Use 9-26 litres of diluted Mintox (1 part Mintox with 40 parts water) per 100 m² for the following crops (Rate depends on size of crop plants):

BEANS: Bean aphids, Bean leaf beetles, Bean weevils, Leafhoppers, Mexican bean beetle, Spider mites, Whitefly. Do not use on young lima beans.

BEETS, CARROTS, EGGPLANTS, LETTUCE, PEPPERS, RADISHES, SPINACH, TURNIPS: Aphids, Blister beetles, Flea beetles, Leafhoppers.

BROCCOLI, BRUSSELS SPROUT, CABBAGE, CAULIFLOWER: Cabbage aphids, cabbageworms, Cabbage loopers, Flea beetles.

CUCUMBERS, PUMPKINS, SQUASH: Cucumber beetles, Flea beetles, Leafhoppers, Spider mites, Squash bugs, Whitefly.

ONIONS: Thrips.

POTATOES: Aphids, Colorado potato beetles, Flea beetles, Leafhoppers.

TOMATOES: Aphids, Blister beetles, Fall armyworms, Flea beetles, Tomato fruitworms, Whitefly.

ASPARAGUS: Asparagus beetles, 10-21 litres diluted Mintox/100 m², Apply at first sign of infestation.

TREE FRUITS (APPLE, APRICOT, CHERRY, PEACH, PEAR, PLUM): Winter moth: Apply 13 mL Mintox/litre with only backpack sprayer. Spray thoroughly to cover developing foliage. Make 2 or 3 applications at intervals of 10 to 14 days beginning at bud break. Do not spray during full bloom. For Cherry fruit flies, Pear psylla, Pear Slugs, Plum curculios and Spider mites use 26-52.5 mL Mintox/litre. Make 2 or 3 applications at 14 day intervals beginning after petal fall.

SMALL FRUITS AND BERRIES: Currant fruit flies, Spider mites, Strawberry weevil. Apply 26-52.5 mL Mintox/litre water. Spray plants to wetting using any hand or backpack sprayer.

CONIFERS: Balsam woolly aphids, Cooley spruce gall aphids, Spruce aphids, Spruce spider mites. Apply 25 mL Mintox/litre water. Spray plants to wetting using any hand, or backpack sprayer.

ROSES: Rose aphids, Roseslugs, rose leafhoppers, Rose chafers, Spider mites. Apply 26 mL Mintox/litre water. Spray plants to wetting using hand, or backpack sprayer. May be applied during

bloom at early morning or late evening when bees are not foraging.

GREENHOUSE AND INDOOR PLANTING: Aphids, Brown soft scales, Mealybugs, Spider mites, Whiteflies. Apply 26 mL Mintox/litre.

Spray plants to wetting using any hand, or backpack sprayer.

NOTE: Use caution with cucurbits. Do not use on chestnuts, mountain ash, sweet peas, nasturtiums or young Lima bean plants. Do not feed treated crops or crop refuse to animals. Do not apply within the specified days of harvest.

1 day - Carrot, Cucumbers, Eggplants, Peppers, Pumpkins, Squash, Tomatoes.

3 days - Asparagus, Cabbages.

7 days - Beans, Beets, Carrot tops, Cauliflower, Onions, Peas, Potatoes, Radishes, Turnips, Apples, Cherries, Pears, Plums.

14 days - Broccoli, Brussels Sprouts, Lettuce, Spinach, Currants, Gooseberries, Strawberries and other small fruits.

21 days - Apricots, Peaches.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN. Avoid inhaling the spray mist. Mild skin irritant, avoid contact with skin and clothing. Wash after handling or using. Avoid contamination of any body of water.

DANGER: Concentrate is an Eye Irritant - Avoid contact with eyes.

FIRST AID: For external contact, wash with water. If in eyes, flush with plenty of water. Product contains petroleum distillate. If swallowed do not induce vomiting. Get prompt medical attention.

TOXICOLOGICAL INFORMATION: Slightly irritating to the skin. Contains xylene as a diluent.

DECONTAMINATION AND DISPOSAL: Do not reuse empty container. Discard in regular garbage.

NOTICE TO BUYER: Sellers' guarantee shall be limited to the terms set out on the label and subject thereto. The buyer assumes any risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))