

88.07.14

COMMERCIAL
INDUSTRIAL INSECTICIDE AEROSOL III
EXPLOSIVE
CONTAINS D-TRANS ALLETHRIN AND PIPERONYL BUTOXIDE

GUARANTEE:

D-TRANS ALLETHRIN
0.5% TECHNICAL PIPERONYL BUTOXIDE
4.0%

REGISTRATION NUMBER 15922 PEST CONTROL PRODUCTS ACT

900 grams NET WEIGHT

A PRESSURIZED CONCENTRATED INSECTICIDE FOR USE IN FOOD PLANTS,
HOSPITALS, RESTAURANTS, SUPER MARKETS, MOTELS, HOTELS, BARNs,
MILKING PARLORS, DAIRIES, HOMES, SCHOOLS, FACTORIES, WAREHOUSES,
AND OTHER COMMERCIAL AND INDUSTRIAL BUILDINGS.

PRECAUTION:

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

WHITMIRE RESEARCH LABORATORIES, INC.
3568 TREE COURT INDUSTRIAL BLVD.
ST LOUISE, MO 63122 U.S.A.
EPA EST NO 499-MO-1

CANADIAN DISTRIBUTOR
ELSCO COMPANY
4330 WEST HILL AVE.
MONTREAL, QUEBEC, H4B 2S9

INDUSTRIAL AEROSOL INSECTICIDE

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS:

FLIES, MOSQUITOES, GNATS, WASPS, FLYING ADULT MOTHS: Close doors and windows. Spray from 4 to 14 seconds per 100 cubic meters. Disperse in all directions. If possible, have fans operating to speed up circulation of aerosol fog throughout area being treated. Keep area closed for 15 minutes after treatment.

WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, DRUG STORE BEETLES IN EXPOSED AND LARVAL STAGES: Contact as many insects as possible when treating infested areas such as cracks, crevices, stored products, machinery, dark secluded areas. Spray 10 to 20 seconds per 100 square meters of floor space. Repeat treatment weekly or as insects appear.

PRECAUTIONS:

In food processing and food service establishments, apply only when the plant is not in operation. Remove all food before treatment. Cover all food processing surfaces and thoroughly clean with potable water before resuming operations.

In homes or dwellings, remove or cover all foods and cooking utensils before spraying to protect them from spray and dead or falling insects.

In barns, remove all animals from barn-building before fogging. Do not spray on food or feed. Avoid inhaling spray mist. Wash hands after use. Ventilate areas for 30 minutes before animal re-entry.

IMPORTANT:

Contains concentrated insecticide under pressure. Therefore do not expose to temperatures above 55°C. Hold dispenser 1 m away from objects being sprayed to avoid possible staining.

Do not spray plastic, painted or varnished surfaces.

This cylinder is not refillable. Do not attempt to re-charge. When cylinder is exhausted discard in safe place. Do not throw in fire. Do not use or store near heat or open flame.

FIRST AID TREATMENT:

Eye contact:

Immediately flush eyes with plenty of water for at least 10 minutes.

Skin contact:

Wash with soap and water. If irritation develops or persists contact physician.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))