

87.12.03

BOOTHILL, JUST ONE SHOT KILLS RATS DEAD

LIQUID RODENT BAIT

KILLS RATS AND MICE WITH A SINGLE FEEDING
KILLS WARFARIN RESISTANT NORWAY RATS

READ LABEL BEFORE USE

GUARANTEE: BROMADIOLONE 0.005%

REGISTRATION NO. 20255 PEST CONTROL PRODUCTS ACT
WARNING
POISON

COMMERCIAL

NET CONTENTS 50 mL

MANUFACTURED BY:
NITRAGIN DIV. OF LIPHA CHEMICALS INC.
3101 WEST CUSTER AVENUE
MILWAUKEE, WI 53209

DIRECTIONS

MIXING: Mix complete contents with 450 mL tap water.

USES: For control of Norway rats, Roof rats and house mice in and around homes, industrial, commercial, agricultural and public buildings.

SELECTION OF TREATMENT AREAS: Place baits in locations where rats and mice travel and will most likely find and drink bait. Placements along walls, in corners by gnawed openings, and in and around burrows, and in concealed locations or in locations where rodents or their signs have been observed. Remove as much food as possible from treatment area.

APPLICATION DIRECTIONS: NORWAY and ROOF RATS: Place a minimum of 450 mL of mixed Boot Hill Liquid Bait in a dispenser such as a chick fountain or equivalent device at each placement. Placements should be at intervals of every 5-10 metres in treatment area. Maintain an uninterrupted supply of fresh liquid bait for at least 10 days.

HOUSE MICE: Place Boot Hill Liquid bait in dispensers such as chick fountains or equivalent and positions dispersers at

2-3 metre intervals. Maintain an uninterrupted supply of fresh liquid bait for at least 15 days.

GENERAL: Replace contaminated or spoiled bait immediately, or every 4 to 5 days. Collect and dispose of all dead animals and unconsumed bait properly. Repeat treatment when infestation occur. Persistent infestations may require establishing permanent bait stations. Replenish Boot Hill Liquid Bait as needed.

PRECAUTIONS: Keep out of reach of children. Keep away from feed and foodstuffs. Harmful or fatal if swallowed or absorbed through skin because this material may reduce the clotting ability of blood and cause bleeding.

This product should be handled with gloves. Do not get in eyes, on skin or clothing. Wash arms, hands and face with soap after applying and before eating or smoking.

This product is toxic to fish and wildlife. Keep out of lakes, streams and ponds.

Do not reuse empty container. Destroy by perforating or crushing. Bury or discard in a safe place away from water supplies.

FIRST AID INSTRUCTION: Do not get in eyes. In case of eye contact, flush eye with water for 15 minutes. If swallowed administer Vitamin K1 intramuscular or orally as indicated in bishydroxycoumarin overdoses. Repeat as necessary based on monitoring of prothrombin times. Contact a physician immediately.

TOXICOLOGICAL INFORMATION: If swallowed by humans, domestic animal or pets, this product may reduce the clotting ability of the blood and cause bleeding.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

Product No. 8810 Label No. 5116-1087

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.+))