

85.12.31

STOP-PEST

READ THE LABEL BEFORE USING

DOMESTIC

DANGER POISON

LIQUID TRIPLE-A SPRAY

GUARANTEE - Diazinon 0.5%

Registration No. 9699
Pest Control Products Act

RELIABLE EXTERMINATORS LIMITED

Serving Industry, Farms, Homes, Restaurants, Apts. etc.
1730 McPherson Court, Pickering, Ont. L1W 3E6
Telephone: 831-2727

Net Contents:

REL-EX. TRIPLE A HOUSEHOLD LIQUID
RESIDUAL SPRAY INSECTICIDE

This product is relatively odourless and stainless.
Directions For Use: Spray infested surfaces until wet.
For the control of Cockroaches, Ants, Silverfish and Crickets

Spray until wet all cracks around baseboards and other places where these insects hide, such as surfaces, behind and beneath cabinets, refrigerators, sinks, stoves, etc. Spray other localized areas infested with these pests. Repeat treatment as required.

For the control of Carpet Beetles

Make localized applications to areas of the floor and baseboards. Spray directly into cracks and under carpets where insects may be found. Treat crevices, cracks or closets and infested areas of shelving. Repeat as necessary.

For the control of Brown Dog Ticks

Thoroughly spray infested areas around baseboards, windows, and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floor and floor coverings. Applications should be repeated as infestations warrant and as re-infestations occur. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

CAUTION

Do not use as a space spray. KEEP OUT OF REACH OF CHILDREN. Avoid skin contact, inhaling or swallowing. Avoid contamination of feed or foodstuffs. Do not use on pets, plants or humans. A COMBUSTIBLE MIXTURE.

FIRST AID

Wash hands thoroughly after exposure, before smoking or eating. Contains petroleum distillates - if swallowed or aspirated do not induce vomiting. Keep patient warm. Call a physician immediately.

TOXICOLOGICAL INFORMATION

Gastric lavage is not recommended. Give oxygen if necessary. Use antibiotics to prevent or treat bacterial pneumonia, and saline cathartics to promote elimination from the digestive tract. Corticosteroids may be beneficial. Further treatment is supportive and symptomatic.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))