

92.03.10

Wilbur-Ellis

Ideas to grow with(R)

ZIRAM 85W

FUNGICIDE WETTABLE POWDER

Agricultural

Guarantee: Ziram 85%

Registration No. 15473
Pest Control Products Act

READ THE LABEL BEFORE USING

NET WEIGHT 2 kg

CAUTION

POISON

WILBUR-ELLIS COMPANY OF CANADA LIMITED
P.O. Box 22091, London, Ontario N6C 4N0

DIRECTIONS FOR USE

CROP/ DISEASE	METHOD	RATE
------------------	--------	------

TOMATO Anthracnose Early Blight Late Blight	Start applications when disease first appears or is first reported in the area. If conditions favour early infections, make the first application soon after transplanting or when direct-seeded tomatoes are 15 cm high. Repeat at regular 7-10 day intervals. May be applied up to 1 day before picking fruit.	3 kg/ha in 1000 litres of water
CUCUMBER MELON, SQUASH PUMPKIN Leaf Spots Anthracnose	Make the first application at seedling stage and repeat as seedling stage and repeat as necessary. May be applied up to 1 day before harvest.	1.5-2 kg/ha depending on crop size in 1000 litres of water
BRITISH COLUMBIA ONLY		
APPLE Pin-Point Scab	Apply in the first or second week of August. Residue on the fruit may be difficult to remove.	5 kg/ha
PEACH APRICOT Coryneum Blight	Apply at the Husk-Fall stage. Treatment after this stage may result in unmarketable fruit due to discolouration.	8 kg/ha

COMPATIBILITY: ZIRAM 85W is compatible with most commonly used insecticides and fungicides but should not be mixed in the spray tank with Calcium Arsenate, Bordeaux Mixture, Fixed Copper, Lime Sulphur or Hydrated Lime. When mixing with Guthion, use the wettable powder formulation only.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not inhale dust. Avoid contact with skin. May cause irritation to eyes, nose and throat. After handling, wash thoroughly with soap and water before eating or smoking. Avoid contamination of feed or food. Keep away from excessive heat, fire and sparks. Do not contaminate ponds, streams or other

bodies of water.

FIRST AID: If swallowed, induce vomiting touching the back of the throat with finger or blunt object, repeat until vomit fluid is clear. Bring patient to nearest hospital taking this labelled container with you. In case of skin contact, remove contaminated clothing and wash skin with soap and water. If in eyes, flush with plenty of water for 15 minutes and get medical attention.

STORAGE: Store in a cool, dry place away from food and feed.

DISPOSAL:

1. Empty box
2. Follow provincial instructions for any required additional cleaning of the box prior to its disposal.
3. Make the empty box unsuitable for further use.
4. Dispose of the box in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office Conservation and Protection, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not

liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))