

2000/01

Q-8

DISINFECTANT

PHENOL COEFFICIENTS

Staphylococcus aureus (ATCC 6538)	42
Salmonella Typhosa (ATCC 6539)	27

GUARANTEE

n-Alkyl(5% C12; 60% C14; 30% C16; 5% C18) dimethyl benzyl ammonium chloride: 2.25%
n-Alkyl (68% C12; 32% C14) dimethyl ethylbenzyl ammonium chloride: 2.25%

REGISTRATION NO. 13690
PEST CONTROL PRODUCTS ACT

D.I.N. 00537160 LOT NO.

INDUSTRIAL/INSTITUTIONAL

READ THE LABEL BEFORE USING

CAUTION
CORROSIVE

4 X 4L 20L 210L

QUALITY CHEMICAL MFG.
215 Dolomite Dr.
Downsview, Ontario
M3J 2N1
Tel.: (416)665-8422

This industrial and institutional cleaner, disinfectant, deodorizer, fungicide, virucide, when used as directed, is effective against: Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa, Salmonella typhosa, Pathogenic fungi such as: Trichophyton interdigitale, Escherichia coli, Brevibacterium ammoniagenes, Klebsiella pneumoniae and Influenza A₂, Herpes simplex, Adenovirus type II, and Vaccinia viruses.

USE DIRECTIONS

WHERE TO USE: FOR USE IN HEALTH CARE FACILITIES AND/OR FOOD PROCESSING PLANTS. Where housekeeping is of prime importance in controlling pathogenic bacteria on surfaces such as floors, walls, tables, chairs, counters, sink tops, garbage pails, rest rooms, bed pans, bed frames and other hard surfaces. Very effective for controlling odours caused by the growth of bacteria, mold, mildew and fungi.

DISINFECTION: Combine Q-8 with water in a 1 to 64 proportion (1 part Q-8 with 64 parts water). Apply with a cloth or mop. Allow surfaces to remain wet for 10 minutes. Rinse with potable water, then remove excess liquid. Prepare a fresh solution for each use. DO NOT MIX WITH OTHER CLEANERS.

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. May cause eye damage or skin irritation. Do not get concentrate in eyes or on skin.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, GET MEDICAL ATTENTION. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. GET MEDICAL ATTENTION IMMEDIATELY OR CONTACT POISON CONTROL CENTRE.

FOOD ESTABLISHMENTS: Equipment and surfaces subjected to direct food contact must be thoroughly rinsed with potable water after cleaning with the product. Avoid contamination of food during use. Do not store in food processing or food storage area.

DISPOSAL: 1-Rinse the emptied container thoroughly and add the rinsings to the treatment site. 2-Follow provincial instructions for any required additional cleaning of the container prior to its disposal. 3-Make the empty container unsuitable for further use. 4- Dispose of the container in accordance with provincial requirements. 5-For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label

information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))