

16-MAR-2005

22-FEB-2007 - Notification of change in registrant address. See below for more information.

FRONT PANEL - ENGLISH

GREEN CROSS®

KILLEX® 500

COMMERCIAL
TURF HERBICIDE
LIQUID CONCENTRATE
NON-VOLATILE

INCLUDES RATES FOR
COOL CONDITIONS

NET CONTENTS: 10 L, 15 L, 55 L, 80 L, 110 L, 200 L, 500 L, Bulk

Specially formulated for hard-to-kill weeds in turf (parks,
lawns, golf courses, etc.).

Contains amines of mecoprop, 2,4-D and dicamba.

GUARANTEE:

2,4-D (isomer specific)	385.25 g/L
Mecoprop (d-isomer)	75.00 g/L
Dicamba	18.75 g/L
(present as amines)	

REGISTRATION NO.: 16971
PEST CONTROL PRODUCTS ACT

READ THE LABEL AND BACK PANEL BEFORE USING
PROTECT FROM FREEZING

~~Scotts Canada Ltd.
2000 Argentic Road
Plaza #5, Suite 101
Mississauga, Ontario
L5N 2R7~~

STEPAN CANADA INC.
UNIT 101A, 3425 HARVESTER ROAD
BURLINGTON ON L7N 3N1.

CAUTION



POISON
DANGER - EYE
IRRITANT

Notification Change

BACK PANEL - ENGLISH

Controls dandelions, plantains, chickweed, clover, black medick (yellow clover), heal-all, ground ivy (creeping Charlie), knotweed, ragweed, shepherd's-purse, wormseed mustard, prickly lettuce, mallow (young stages), and many other common weeds of turf.

DIRECTIONS FOR USE:

TURF: (Other than Bent Grass) - Apply Killex 500 at the rate of 2.75 - 3.25 L/ha (27.5 - 32.5 mL/100 m² or .9 - 1.06 oz./gal./1,000 ft²) in sufficient water for adequate coverage (300 - 1,500 L/ha). Use the higher rate under cool conditions when weeds are growing less actively. Maximum kill of weeds will be obtained from spring or early fall application when weeds are actively growing. Avoid applying during excessively hot or dry periods unless adequate irrigation is available to provide good growth of grass and weeds.

Do not irrigate within 24 hours after application. Rain before 6 hours after treatment may reduce effectiveness. Keep off area until dry. Do not apply to newly seeded turf until after the second or third mowing. Grass seed can be safely sown 1 to 2 weeks after application at recommended rate.

BENT GRASS TURF: On closely mowed bent grass (putting and bowling greens, etc.), apply Killex 500 at a maximum rate of 15 mL/100 m² (0.5 oz./1000 ft²) preferably in May, or mid-August through September. Slight turf yellowing will disappear after about one week.

NOTE: Care should be taken to avoid overdosing bent grasses. Large volumes of water (15 mL in 20 L of water per 100 m² or 0.5 oz. in 4 gal. of water/1000 ft²) will aid in obtaining uniform coverage.

Fertilizer Tank Mix: Killex 500 is compatible with liquid fertilizers such as GREEN CROSS Liquid LAWN GREEN® 15-5-5 or *FeRROMEC (minimum 9 L of water/100 m²). Follow all fertilizer label directions.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. **May cause severe eye irritation and reversible eye damage.** Wear goggles when handling this product. This product may cause skin sensitization reactions in certain individuals. Keep in original container during storage. Do not allow spray, spray mist, visible or invisible vapours, or air containing mist or vapours to contact plants other than those being sprayed. If 2,4-D susceptible plants are growing within a distance of 400 m from the area being sprayed, spray

only when there is a light breeze away from the susceptible plants. Spray drifting can be reduced by using high volume sprays under low pressure and coarse sprays. Susceptible crops include grapes, tomatoes, tobacco, sugar beets, sunflowers, beans, turnips, cauliflower and cabbages, as well as many other field, vegetable, ornamental and fruit crops. Do not contaminate streams, lakes, ponds, irrigation water, water used for livestock or for domestic purposes. Do not store open container near seeds, feeds, fertilizers or pesticides, including insecticides, fungicides and weed killers other than those containing 2,4-D. Sprayers which have contained Killex 500 should not be used to apply other pesticides to 2,4-D susceptible crops. DO NOT APPLY BY AIR.

Protective Clothing & Equipment:

- **Handling the concentrate (mixing and loading):** Wear long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes, and protective eye wear (face shield or safety glasses). Rinse gloves before removal. Coveralls or a chemical-resistant apron should also be worn when open pouring from containers greater than 5 L.
- **Handling the dilute spray solution (during application or repairing or cleaning equipment):** Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes. Rinse gloves before removal. Gloves are not required during application when applicator is in an enclosed tractor.

Operator Use Precautions:

- Wear freshly laundered clothing and clean protective equipment daily.
- Rinse gloves before removal.
- Wash hands before eating, drinking, using tobacco or using the toilet.
- If herbicide penetrates clothing remove immediately; then wash thoroughly and put on clean clothing. Throw away clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate.
- After using this product, remove clothing and launder separately, and promptly and thoroughly wash hands and exposed skin with soap and water. Follow manufacturer's instructions for cleaning personal protective clothing and equipment. If no such instructions for washable are provided, use detergent and hot water. Keep and wash personal protective equipment separate from household laundry.
- After work, remove all clothing and shower using soap and water.

Re-entry Interval:

- Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treated areas until spray has thoroughly dried.

Maximum Application Frequency to Turf:

- For good turf/lawn management, normally two applications per year per treatment site are adequate. This does not include spot treatments.

Transfer System:

- Containers larger than 20 L: Use a transfer system that avoids open pouring when transferring the liquid concentrate from such containers into the spray tank.

FIRST AID:

If on skin, wash with soap and water. **If in eyes**, splash repeatedly with plenty of clean water. **If irritation persists**, obtain medical attention. **If swallowed**, INDUCE VOMITING. Obtain medical attention or contact a Poison Control Centre IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

This product is highly irritating to eyes on contact. Treat symptomatically.

DECONTAMINATION AND DISPOSAL:

Follow the following steps for disposable containers:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the **Pest Control Products Act** to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Product Use Information: 1-800-668-5669

® used under license by Scotts Canada Ltd.

© 2004, Scotts Canada Ltd. World rights reserved.

*Registered trademark of PBI Gordon Corp.

TEXT FOR STICKER - ENGLISH

REDUCED ODOUR FORMULA

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.