

85.12.31

WILSON

MANEB FUNGICIDE

DOMESTIC

For the control of disease and blight

GUARANTEE: MANEB 80%

REG. NO. 13655 P.C.P. ACT

READ LABEL AND CARTON BEFORE USING

200 g

WILSON LABORATORIES INC.
DUNDAS ONTARIO
L9H 3H3

DIRECTIONS FOR USE: Maneb Fungicide, if properly applied, protects plants against certain diseases. Like any other fungicide this product cannot cure foliage that is already diseased. Consult provincial home garden guide for further information.

METHOD OF APPLICATION: Mix 14 grams (2 tablespoonfuls) in 4.5 litres of water and thoroughly spray the foliage of plants including the underside. To improve the wetting of "waxy" onion and cabbage leaves add 1/4 teaspoonful of liquid household detergent to each 4.5 litres of spray mixture. Start spraying when the first disease spots can be noticed, usually on the lower leaves (the diseases can be expected during or after wet weather or repeated sprinkling). Repeat the application every 7 to 10 days, especially under wet conditions.

VEGETABLES AND DISEASES

TOMATO AND POTATO: Early blight, late blight, anthracnose and leaf spot. Do not spray within 3 days before harvest.

CARROT, CUCUMBER, MELON, SQUASH, PUMPKIN, EGGPLANT AND PEPPER: Bright, leaf spot and downy mildew. Do not spray within 5 days before harvest.

CABBAGE AND LETTUCE: Downy mildew. Do not spray within 7 days before harvest.

ONION (not green onions): Downy mildew and blight. Do not spray within 10 days before harvesting dry bulbs.

CELERY: Early and late blight. Do not spray within 14 days before harvest.

NOTE: Downy mildew occurs in cool, wet weather in spring and fall. This product does not control powdery mildew occurring during hot, humid weather in mid-summer; use Wilson's Benomyl for this disease on cucumber, melon, squash, and pumpkin.

LAWN DISEASES: Brown Patch, Melting-Out (leaf spot) - Apply at the rate of 28 grams (4 level tablespoonfuls) in 4.5 litres of water to 100 square metres of lawn grass. Apply when disease first appears and repeat at intervals of 7 to 10 days as long as disease persists. Under severe disease conditions, double the above rate and apply at 3 to 5 day intervals.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed; may irritate eyes, nose, throat, and skin. Wash thoroughly after handling and before eating and smoking. Do not contaminate food, feed and any water (ponds, etc.). Dispose of empty container with garbage. Avoid that product becomes wet or overheated causing breakdown and flammable vapours.

FIRST AID: If swallowed, induce vomiting by giving patient a tablespoonful of salt in a glass of warm water, repeat until vomit fluid is clear. If in eyes, flush with water for 15 minutes. Get medical attention at once. If on skin, wash with soap and water.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching

for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))