

85.12.31

ZEP 10-X

NET CONTENTS/ LITRES

REGISTRATION NO. 10844
PEST CONTROL PRODUCTS ACT

SPECIAL RESIDUAL INSECTICIDE SPRAY

COMMERCIAL

FOR INDUSTRY AND INSTITUTIONAL USE ONLY

A RESIDUAL TYPE INSECTICIDE, FORMULATED ESPECIALLY TO CONTROL COCKROACHES RESISTANT TO CHLORINATED HYDROCARBON AND PHOSPHATE-TYPE INSECTICIDES. FAST ACTING - HAS SPECIAL FLUSHING TO DRIVE INSECTS FROM HIDING. RESIDUAL ACTION LASTS FOR WEEKS.

GUARANTEE: PROPOXUR 1%

READ THE LABEL BEFORE USING

LES PRODUITS CHIMIQUES INDUSTRIELS DU CANADA LTEE
CANADIAN INDUSTRIAL CHEMICALS LTD.
DORVAL QUEBEC H9P 1G2 - MISSISSAUGA ONTARIO L5T 1E3

KILLS: Ants, ticks, centipedes, cockroaches, clovermites, crickets, earwigs, millipedes, paperlice, scorpions, silverfish, sowbugs, and spiders, fleas, flies, gnats, mosquitoes, punkies, and sandflies (outdoors only). Exposed stages of cigarette beetles, drugstore beetles, Indian meal moths, Angoumois grain moth, saw-toothed grain beetles, and weevils.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

DIRECTIONS FOR USE:

GENERAL: Apply with a low pressure sprayer equipped with a coarse spray nozzle. Spray surfaces only until wet. Avoid excessive runoff. Apply to all insect breeding sites and harbourages. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding. Repeat treatment as necessary.

COCKROACHES: Thoroughly treat infested area. Spray the baseboard, cracks and crevices, around window and door frames, under surfaces of shelves, drawers and work tables, behind and beneath cabinets, refrigerators, sinks and stoves, in and around waste containers, switch panels, junction boxes, floor drains, and other places where cockroaches hide and rest.

ANTS: Apply to rails and places where ants enter premises such as window and door sills. Spray hills and runways outdoors.

HORNETS AND WASPS: Spray directly to the nest after dark when all of the insects have returned to the nest.

ANGOUMOIS GRAIN MOTH, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, SAW-TOOTHED GRAIN BEETLES, AND WEEVILS (EXPOSED STAGES): Thoroughly treat floors and walls of infested areas with attention to cracks, crevices, corners and perimeters. Sanitation and dust control are primary importance. Fumigate or destroy infested products.

SILVERFISH AND PAPERLICE: Apply to localized areas infested by these insects.

BROWN DOG TICKS: Spray sleeping quarters of pets around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

CLOVERMITES, CRICKETS, EARWIGS, MILLEPEDE, CENTIPEDES, SOWBUGS, SCORPIONS AND SPIDERS: Thoroughly spray the interior and exterior perimeter of the infested premises. For Clovermites, give special attention to window sills.

FLEAS, FLIES GNATS, MOSQUITOES, PUNKIES, AND SANDFLIES (OUTDOORS ONLY): Spray infested area thoroughly, including outside surfaces of screens, doors, window frames, foundations, patios, and other areas where insects may enter.

FOR USE IN MEAT PACKING AND FOOD PROCESSING PLANTS: Do not apply in edible products areas of food processing plants. Any exposed products equipment or packaging materials must be removed or covered before spraying. Rinse all equipment with water before resuming operations. Treat food processing plants early in the season before canning or other processing. Repeat application, if necessary, when plant is not in operation, spraying where insects congregate will aid in preventing re-infestation. Good sanitation and proper disposal of wastes is essential in any effective insect control program.

RESTRICTIONS: Do not use as space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated areas until surfaces are thoroughly dry. Do not store near food or feed products. Avoid contamination of feed, food, food processing equipment, and food handling surfaces. Do

not apply to animals. Remove pets and cover fish bowls before spraying. Do not spray plants.

CAUTION: KEEP OUT OF REACH OF CHILDREN. May be harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing of spray mist, Do not get in eyes, on skin or clothing. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Do not contaminate feed, food, or food-stuffs.

FIRST AID: In case of contact wash immediately with soap and warm water. If swallowed, induce vomiting immediately and get medical attention. Atropine Sulphate is antidotal

PROD. #2113

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))