

94.04.08

DISGUARD 453

DESINFECTANT/DISINFECTANT
NETTOYEUR/CLEANER
VIRULICIDE/VIRUCIDE
FONGICIDE/FUNGICIDE
ANTI-MOISSISSURE/MILDEWSTAT
DESODORISANT/DEODORIZER

Effective in hard water up to 400ppm hardness (calculated as CaCO₃) and in the presence of 5% serum contamination

Efficace dans l'eau dure jusqu'à 400ppm (CaCO₃) et en présence de 5% de matière organique.

DISINFECTANT - CLEANER FOR CHICKEN, TURKEY, QUAIL, DUCK AND GOOSE HATCHERIES.

NETTOYEUR-DESINFECTANT POUR COUVOIRS SPECIALISES EN PRODUCTION DE POULETS, DINDES, CANARDS, OIES ET CAILLES.

USAGE COMMERCIAL - COMMERCIAL USE

GUARANTIE:	P/P W/W	GUARANTEE:
Chlorure d'octyl décyl diméthyl ammonium	1.650%	Octyl decyl dimethyl ammonium chloride
Chlorure de dioctyl Dimethyl ammonium	0.660%	Dioctyl dimethyl Ammonium chloride
Chlorure de didécyl Dimethyl ammonium	0.990%	Didecyl dimethyl ammonium chloride
Chlorure d'alkyl (C1240%, C1610%) diméthyl benzyl ammonium	2.200%	Alkyl (C1240%, C1450% C1610%) Dimethyl benzyl ammonium chloride

AVERTISSEMENT WARNING

POISON CORROSIF / CORROSIVE

READ THE LABEL BEFORE USING
LIRE L'ETIQUETTE AVANT L'EMPLOI

REGISTRATION NUMBER: 22950
PEST CONTROL PRODUCTS ACT

NUMERO D'ENREGISTREMENT: 22950
LOI SUR LES PRODUITS ANTIPARASITAIRES

NET CONTENTS: 4 L
CONTENU NET:

DISPAR, DIVISION DE/OF VETOQUINOL CANADA INC.
JOLIETTE, CANADA J6E 3Z1

DIRECTIONS: General instructions: Remove gross soils, such as, down, shell and hatching debris by flushing with water, vacuuming or sweeping. Apply a cleaning disinfecting solution containing 18 ml of DISGUARD 453 per liter of water using a brush, mop, cloth or sponge. Let the solution contact surfaces for 10 minutes, then scrub and rinse the surface. Repeat step if heavily soiled.

Prepare fresh solutions daily. Discard used solutions that become visibly soiled. When cleaning setters and hatchers, use a fresh bucket of solution for each machine.

Use DISGUARD 453 to clean walls, floors, ceilings, fans, plastic trays, plastic chick boxes, conveyors, buggies, racks, refuse cans and all other non-porous surfaces, utensils and equipment in the hatchery that are not water damageable. Rinse all food equipment with potable water.

BOOTS AND SHOE BATH: To clean and disinfect boots and for use as a shoe bath, use 32 ml per liter of water.

CHICK VANS, EGG TRUCKS AND SERVICEMEN VEHICLES. Use DISGUARD 453 at 16 mL per liter to clean and disinfect the interior and exterior of these vehicles.

NOTE:

DISGUARD 453 should not be used to clean or disinfect chick vaccination needles, hoses or diluent bottles. The residual disinfectant could inactivate the virus and destroy the vaccine effectiveness. 16 ml/L Use Level: The broad spectrum activity of

DISGUARD 453 has been evaluated and found to be effective against the following organisms by the AOAC Use-Dilution Test:

Pseudomonas aeruginosa Salmonella cholerasuis Streptococcus pyogenes Enterobacter aerogenes Shigella dysenteriae Brevibacterium ammoniagenes Staphylococcus aureus Escherichia coli Klebsiella pneumoniae Streptococcus faecalis Salmonella typhimurium Serratia marcescens

AOAC FUNGICIDAL TEST: DISGUARD 453 is an effective fungicide against Trichophyton mentagrophytes (athlete's foot fungus) when used on surfaces in areas such as locker rooms, dressing rooms, showers and bath areas, exercise facilities, etc.

MOLD AND MILDEW CONTROL: At 10 ml/L, DISGUARD 453 will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, non-porous surfaces (as indicated in general instructions above). Allow to dry on surface and repeat when mildew growth returns.

VIRUCIDAL PERFORMANCE: At 10 ml/L use-level, DISGUARD 453 was evaluated and found to be effective against the Influenza A/Brazil virus on inanimate environmental surfaces.

SANITIZING NON-FOOD CONTACT SURFACES: (such as floors, walls, tables, etc.). At 3 ml/L use-level, DISGUARD 453 is an effective sanitizer against Staphylococcus aureus and Klebsiella pneumoniae on hard porous and non porous environmental surfaces.

PRECAUTION: KEEP OUT OF REACH OF CHILDREN.

DANGER: CORROSIVE TO EYES. DO NOT GET IN EYES, SKIN OR CLOTHING. HARMFUL IF SWALLOWED. AVOID CONTAMINATION OF FOOD.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites or gelatin solution; if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsions may be needed.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

DISPOSAL:

- 1) Rinse the emptied container thoroughly and add the rinsings to treatment site.
- 2) Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
- 3) Dispose of the container in accordance with provincial requirements.
- 4) For information on the disposal of unused, unwanted product and the clean up of spills, contact the Regional Office of Environment Canada.
- 5) For small spills, remove free liquid. Soak up residue with solid absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN NO.4.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))