# CB(TM/MD) CB S-312 INSECTICIDE

## WITH ESBIOTHRIN(R)

#### COMMERCIAL/COMMERCIAL

KILLS: COCKROACHES, HOUSE FLIES, FRUIT FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS, GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, ANTS, SILVERFISH, CRICKETS, FLEAS AND TICKS.

DETRUIT: BLATTES, MOUCHES ORDINAIRES, TRYPETIDES, MOUSTIQUES, CECIDOMYIES, PETITS PAPILLONS NOCTURNES, CHARANCONS DU BLE, TRIBOLIUMS DE LA FARINE, TEIGNES DU CACAO, ANTHRENES DES TAPIS, VRILLETTES DU PAIN, FOURMIS, LEPISMES, GRILLONS, PUCES ET TIQUES.

A heavy-duty commercial formula for use in HOSPITALS, RESTAURANTS, FOOD PLANTS, SUPERMARKETS, MOTELS, HOTELS, HOMES, and UTILITIES.

Formule insecticide commerciale pour gros travaux, utilisable dans les HOPITAUX, RESTAURANTS, USINES DE TRANSFORMATION D'ALIMENTS, SUPERMARCHES, MOTELS, HOTELS, DOMICILES, ET DEBARRAS.

READ THE LABEL BEFORE USING/LIRE L'ETIQUETTE AVANT L'EMPLOI

#### GUARANTEE/GARANTIE:

\* D/L-ALLETHROLONE D-TRANS CHRYSANTHEMATE...0.30% PIPERONYL BUTOXIDE, TECHNICAL/ PIPERONYL BUTOXYDE, TECHNIQUE......1.20%

\*ESBIOTHRIN Registered trademark of Roussel-UCLAF; Paris, France. \*ESBIOTHRIN Nom commercial enregistre de Roussel-UCLAF; Paris, France.

Min. 72% d-trans-chrysanthemum monocarboxylic acid ester of (+)-2-allyl-4-hydroxy-3-methyl-2-cyclopentene-1-one.

Max. 28% Other isomers.

SEE ADDITIONAL PRECAUTIONARY STATEMENTS ON SIDE PANEL. VOYEZ AU VERSO D'AUTRES POUR LIEUX D'UTILISATION ET MESURES PREVENTITIVES RECOMMANDEES.

REG.NO./NO.D'ENR 22442 P.C.P. ACT/L.P.A.

CAUTION/ATTENTION : FLAMMABLE/INFLAMMABLE

## NET CONTENTS/POIDS NET 652 g

Manufactured by: WATERBURY COMPANIES, INC. P.O. BOX 1812 . WATERBURY, CT 06722 USA

PRODUCT OF USA/PRODUIT DES E.U. D'AMERIQUE

## DIRECTIONS FOR USE

FLYING INSECTS: HOUSE FLIES, FRUIT FLIES, MOSQUITOES, GNATS AND FLYING MOTHS - Close all windows and doors and direct fog upward at a rate of 1-3 seconds per 30 cubic meters. Disperse in all locations. Keep area closed for 15 minutes.

CRAWLING INSECTS: COCKROACHES - Spray thoroughly into hiding placed such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects when possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, DRUGSTORE BEETLES(in exposed adult and larval stage): Contact as many insects as possible when treating infested areas such as cracks, crevices, stored products, machinery, and dark secluded areas. For CARPET BEETLES, treat infested areas of carpet, localized areas of floors, baseboards, and into cracks and under carpet where these pests may be found. Repeat treatment weekly or as insects appear.

ANTS, SILVERFISH, CRICKETS: Hold aerosol close to cracks and spray directly into them contacting as many insects as possible. Apply freely in all possible hiding places, behind baseboards, sinks, cabinets, coffee makers, meter boxes and manholes. Repeat treatment as necessary.

FLEAS & TICKS: Treat pet's bedding, resting areas, walkways, and other areas heavily travelled by the animal. Spray to give adequate coverage. To reduce infestation, pets should be treated with registered flea and tick control products prior to reentering treated premises. Spray entire interior surfaces of doghouses. Repeat as necessary, thoroughly spraying floors, bedding, cracks and crevices. Spray directly on as many insects as possible.

APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS

LIMITED TO CRACK & CREVICE TREATMENT ONLY: Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. Application of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, is not permitted.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not contaminate water, food or foodstuffs. Remove all pets and birds. Cover fish tanks or remove before spraying. In hospitals, patients should be removed from room prior to treatment. The room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

FOOD PROCESSING AREAS OF FOOD PLANTS: Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned before using. Food contact surfaces and equipment must be washed with an effective cleaning compound followed by a potable water rinse. When using the product in these areas, apply only when plant is not in operation.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 54 deg C may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

FIRST AID INSTRUCTIONS: In case of contact with eyes or skin, flush with water. If irritation persists, seek medical attention. If accidently swallowed, seek medical attention at once.

DISPOSAL: When container is empty, press valve to release all pressure. Dispose of empty container in accordance with provincial requirements. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional Office of Conservation, Environment Canada.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))