Safer's

TROUNCE (R)

YARD AND GARDEN INSECTICIDE

Hose-end spray

Controls beetles, caterpillars and other listed insects

GUARANTEE:

Potassium	salts	of	fatty	acids	20.0%
Pyrethrins	3 .	. .			0.2%

REG. NO. 22271 P.C.P. ACT

READ THE LABEL BEFORE USING

DOMESTIC

Net Contents

550 mL

Concentrate

Safer Ltd., Scarborough, Ont. M1B 2K4

DIRECTIONS FOR USE: Apply Safer's Trounce Insecticide Hose-End Spray using the hose-end applicator provided (attached). Applicator will accurately dilute this concentrated insecticide for treatment of fruits, vegetables, flowers, ornamentals and shrubs.

- 1. Read the complete label for application instructions and precautions.
- 2. Connect spray applicator provided to garden hose.

- 3. Remove bottle cap and attach bottle to applicator.
- 4. Turn ON/OFF switch on top of applicator to OFF position (sideways).
- 5. Turn on water at tap.
- 6. When ready to spray, point sprayer towards target and turn ON/OFF switch to centre ON position.
- 7. When spraying is complete, turn ON/OFF switch to OFF position, then turn water off. Disconnect applicator from water hose.

CAUTION: Rate of delivery of product will vary depending on water pressure, location, time of day, length and diameter of hose, etc. Complete contents of container (550 mL) can be sprayed in approximately 2-4 minutes.

APPLICATION: For control of aphids, caterpillars, leafhoppers, earwigs, beetles and whitefly. Insects must be sprayed directly to achieve proper control. Apply product to wet, ensuring thorough coverage of all plant surfaces. Repeat 10-14 days later if necessary. May be used on edible crops up to the day before harvest. Wash fruits and vegetables before using.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Product can cause skin and eye irritation. Avoid contact with skin and eyes. Do not apply to blossoms or when temperatures exceed 28 deg Celsius.

This product is toxic to fish. Do not apply where runoff is likely to occur. Do not contaminate streams, lakes or ponds. Do not use on sweetpeas, nasturtiums, delicate ferns or impatiens. Spinach and schizanthus may be sensitive to foliar spraying. If in doubt about a sensitive species, spray a small test patch before treating entire plant.

DISPOSAL: Do not reuse empty container or applicator. Dispose of applicator and empty container in household garbage.

FIRST AID: If on skin or in eyes, flush affected areas thoroughly with water. If irritation persists, seek medical attention. If ingested, seek medical attention.

Code: 5115

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this

service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))