

20.FEB-1998

CO-OP (R)

FLOWER + GARDEN DUST

INSECTICIDE - FUNGICIDE

Controls Insect Pests and Plant Diseases

500 g

DOMESTIC

Guarantee:

Captan	5.0%
Methoxychlor	3.0%
Malathion	4.0%

REG. NO. 5780 P.C.P. ACT

WARNING: Exposure to product may produce long term health effects. To minimize exposure, follow directions outlined on this label.

READ THE LABEL BEFORE USING

INTERPROVINCIAL COOPERATIVE LIMITED  
P.O. BOX 1050, SASKATOON, SASKATCHEWAN S7K 3M9  
WINNIPEG MISSISSAUGA MONTREAL MONCTON

DIRECTIONS: Apply a light, even coating to upper and lower leaf surfaces. Start when insects first appear and repeat every 7-10 days as necessary. On flowers, ornamentals, cucumbers, tomatoes, eggplant and peppers use 60-90 g of product per 10m<sup>2</sup>. Controls: Aphids, Mites, Cabbage Worms, Beetles, Leaf Hoppers and Caterpillars, and diseases such as blights, mildews and leaf spots. Apply product before diseases appear when weather conditions are favourable for disease development.

For cucumbers: apply only when foliage is dry.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN. Never handle material with bare hands. Use rubber gloves; do not use leather or cloth gloves. Wash hands, face and arms thoroughly after handling this product and before drinking, eating or smoking. Do not breathe dust. When handling or applying, wear goggles and clothing that completely covers arms and legs to minimize

exposure. Change contaminated clothing and wash thoroughly before re-use. Wash clothing and gloves before re-use. Always work out of the wind when handling, or applying treatments. Keep unprotected persons out of operating area or vicinity where there may be drift. Thoroughly wash treated fruits and vegetables prior to eating. Malathion is harmful to petunias, crassula, African violet, ilex, juniper and some ferns and care should be observed if this product is used on ornamentals other than roses. Do not apply within 7 days of harvest or when temperature is above 30'C.

FIRST AID: In case of poisoning, call a physician immediately. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with soap and water. IF IN EYES, flush with water for 5-10 minutes and obtain medical attention. IF SWALLOWED, give the patient one to two glasses of water, and cause vomiting by giving one dose of syrup of ipecac. If the patient does not vomit within 20 minutes, give a second dose. If syrup of ipecac is not available, give the patient one to two glasses of water and cause vomiting by inserting a finger down the throat. Repeat with water until vomit fluid is clear. The patient should be lying down with the head below the level of the feet. DO NOT TRY TO CAUSE VOMITING IF THE PATIENT IS UNCONSCIOUS OR IN A CONVULSIVE STATE.

TOXICOLOGICAL INFORMATION: Malathion is an organophosphate and is a cholinesterase inhibitor. Atropine is the antidote.

DISPOSAL: Do not reuse empty container. Wrap empty container and discard in household garbage.

(R) Registered Trademark of TMC Distributing Ltd.  
Used under license.

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )