

94.09.06

(( LEAFLET ))

BAYLETON 50 WP

50% Wettable Powder  
Fungicide

In Water Soluble PVA Packets  
FOR CONTROL OF CERTAIN DISEASES OF WINTER WHEAT

Net weight 1 kilogram  
(4 x 250 grams water soluble packets)

RESTRICTED

NEW WATER SOLUBLE PACKETS  
Read the attached leaflet for complete mixing directions

GUARANTEE: Triadimefon....50%

Registration No. 18804 Pest Control Products Act

U.S. Patent No. 3,912,752  
Canadian Patent No. 1,040,639

Do not sell water soluble packets separately

Keep water soluble packets in this container and store  
in a cool dry place but not below freezing (0'C)

KEEP OUT OF REACH OF CHILDREN

CALL A DOCTOR IN CASE OF ACCIDENT

READ THE LABEL BEFORE USING

DANGER - EYE IRRITANT

WARNING - POISON

Bayleton is being made available to cereal growers utilizing management techniques for optimum yield to protect against potential yield and quality losses caused by diseases.

CHEMAGRO LIMITED

256 Britannia Road East  
Mississauga, Ontario, Canada L4Z 1S6

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NATURE OF RESTRICTION: Studies on the safety of this product for users and spray operators are not complete. Directions for use and precautionary statements should be followed carefully.

#### RESTRICTED USES

BAYLETON 50% Wettable Powder may be applied with ground spray equipment for control of certain diseases of winter wheat. Complete coverage and thorough application are essential for effective disease control, especially when lower volumes of spray are applied per hectare. Check the calibration of spray equipment frequently.

MIXING: The enclosed PVA packets are water soluble and will dissolve completely in water. After opening outer bag, drop the required number of unopened inner packets into the spray tank as directed. Do not excessively handle water soluble packets or expose to moisture since this may cause breakage. Do not allow packets to become wet prior to mixing spray solution. Do not handle with wet hands. Reseal outer bag to protect remaining packets.

Ground Application Equipment: The order of mixing is important and should be followed.

1. The spray tank should be filled 1/4 to 1/3 full of water.
2. While recirculating and with the agitator running, add the required number of water soluble PVA packets, as determined under "Recommended Applications," to the spray tank as you continue filling the tank to the desired level of water. One packet contains 250 grams of BAYLETON 50% WP. If it is determined, under "Recommended Applications," that 2 kg of BAYLETON 50% WP should be added to the spray tank, add eight 250 gram packets. The PVA packets should be completely dissolved in 5 to 10 minutes.
3. As with any pesticide, maintain adequate agitation prior to and during spraying.

DOSAGE: Apply BAYLETON in sufficient water to obtain complete coverage of foliage. Use the higher rate on this label for the most disease susceptible varieties and under conditions of increasing disease pressure.

CAUTION: Do not use PVA packets in a tank-mix with products that contain Boron or release free chlorine. The resultant reaction of PVA and Boron or free chlorine is a plastic which is not soluble in water or solvents such as

diesel oils, kerosene, gasoline or alcohol.

Do not attempt to use the PVA packets directly in diesel oils or summer spray type oils as in ULV or LV uses. PVA packets are water soluble not oil soluble.

NOTICE: For user protection during application, wear a hat, rubber or neoprene gloves, long sleeve shirt, and long legged trousers or overalls. Protective clothing should be laundered separately following application.

#### RECOMMENDED APPLICATIONS

CROP	DISEASE	BAYLETON 50% W.P. DOSAGE	REMARKS
Winter Wheat Only	Powdery Mildew Rusts (leaf, stem and stripe)	250 to 550 g/ha	Apply specified rate per hectare in a uniform broadcast spray to the foliage when disease symptoms first appear. Apply in 100 to 300 L of water per hectare. Use the higher spray volume where the crop foliage is dense. Additional applications should be made if new disease symptoms appear. For areas where severe rust or powdery mildew infections are expected in wheat, applications of 400 to 550 g/ha may be required. The total amount of BAYLETON 50% W.P. must not exceed the 1.1 kg/ha per crop season and the last application must not be made within 60 days of harvest. Do not feed forage to livestock.

#### PRECAUTIONS

Use only according to directions on this label. Do not use on any crop not specified on this label. Do not apply by air.

To protect fish and wildlife, do not contaminate streams, lakes or ponds.

#### DANGER - EYE IRRITANT

Causes reversible eye damage. May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Do not breathe dust or allow to get in eyes, on skin, or on clothing.

Wash hands, arms and face thoroughly with soap and warm water after use and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not contaminate feed or food items. Keep out of reach of children.

FIRST AID: IF IN EYES, flush eyes with plenty of water for at least 15 minutes. Call a doctor immediately. IF SWALLOWED, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below the foot level and facing down or to one side. Professional medical assistance should be secured immediately. DO NOT INDUCE VOMITING TO AN UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE. IF INHALED, have victim lie down and remain quiet. IF ON SKIN, remove contaminated clothing and immediately wash skin with soap and water.

#### POISON

#### TOXICOLOGICAL INFORMATION:

SYMPTOMS OF POISONING: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyperactivity followed by sedation.

NOTE TO PHYSICIAN: No specific antidote. Treat symptomatically.

#### DISPOSAL OF EMPTY CONTAINER

1. Do not reuse the container.
2. Completely empty the bag into application equipment and add all rinsings to the spray mixture in the tank.
3. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
4. Dispose of the empty bag in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environmental Protection, Environment Canada.

#### NOTICE

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

BAYLETON is a Reg. TM of Bayer AG.

Chemagro Limited  
256 Britannia Road East  
Mississauga, Ontario, Canada L4Z 1S6

Printed in Canada 787210

(( LABELLING FOR BAG ))

BAYLETON 50 WP

50% Wettable Powder  
Fungicide

In Water Soluble PVA Packets.  
FOR CONTROL OF CERTAIN DISEASES OF WINTER WHEAT

Net Weight 1 kilogram  
(4 x 250 grams water soluble packets)  
RESTRICTED

NEW WATER SOLUBLE PACKETS  
Read the attached leaflet for complete mixing directions.

GUARANTEE: Triadimefon....50%

Registration No. 18804 Pest Control Products Act

U.S. Patent No. 3,912,752  
Canadian Patent No. 1,040,639

Do not sell water soluble packets separately

Keep water soluble packets in this container and store  
In a cool dry place but not below freezing (0'C)

KEEP OUT OF REACH OF CHILDREN

CALL A DOCTOR IN CASE OF ACCIDENT

(See rear panel for additional precautionary statements)

FOR COMPLETE DIRECTIONS FOR USE, SEE PRINTED LEAFLET  
PROVIDED WITH THIS CONTAINER.

READ THE LABEL AND PRINTED DIRECTIONS BEFORE USING

Bayleton is being made available to cereal growers utilizing management techniques for optimum yield to protect against potential yield and quality

losses caused by diseases.

DANGER - EYE IRRITANT

WARNING - POISON

CHEMAGRO LIMITED  
256 Britannia Road East  
Mississauga, Ontario, Canada L4Z 1S6

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

NATURE OF RESTRICTION: Studies on the safety of this product for users and spray operators are not complete. Directions for use and precautionary statements should be followed carefully.

#### PRECAUTIONS

Use only according to directions on this label. Do not use on any crop not specified on this label.

To protect fish and wildlife, do not contaminate streams, lakes or ponds. Do not apply by air.

DANGER - EYE IRRITANT

Causes reversible eye damage. May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Do not breathe dust or allow to get in eyes, on skin, or on clothing.

Wash hands, arms and face thoroughly with soap and warm water after use and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Do not contaminate feed or food items. Keep out of reach of children.

FIRST AID: IF IN EYES, flush eyes with plenty of water for at least 15 minutes. Call a doctor immediately. IF SWALLOWED, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. The patient should be lying down with the head below the foot level and facing down or to one side. Professional medical assistance should be secured immediately. DO NOT INDUCE VOMITING TO AN UNCONSCIOUS PERSON OR TO PERSONS IN A CONVULSIVE STATE. IF INHALED, have victim lie down and remain

quiet. IF ON SKIN, remove contaminated clothing and immediately wash skin with soap and water.

POISON

TOXICOLOGICAL INFORMATION:

SYMPTOMS OF POISONING: The compound does not cause any definite symptoms that would be diagnostic. Poisoning is accompanied by hyperactivity followed by sedation.

NOTE TO PHYSICIAN: No specific antidote. Treat symptomatically.

DISPOSAL OF EMPTY CONTAINER:

1. Do not reuse the container.
2. Completely empty the bag into application equipment and add all rinsings to the spray mixture in the tank.
3. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
4. Dispose of the empty bag in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills contact the regional office of Environmental Protection, Environment Canada.

NOTICE

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

CHEMAGRO LIMITED  
256 Britannia Road East  
Mississauga, Ontario, Canada L4Z 1S6

BAYLETON is a Reg. TM of Bayer AG

Printed in Canada 787210

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not

liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))