

14-SEP-2007

RODENT CAKE PLUS ®

Rodenticide - Paraffin Block

COMMERCIAL

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

READ THE LABEL AND THE ENCLOSED LEAFLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE: Chlorophacinone 0.005%

Warning, contains the allergens peanuts and wheat.

REGISTRATION NO. 27228 PEST CONTROL PRODUCTS ACT

VÉTOQUINOL N.-A. INC.
2000, ch. Georges
Lavaltrie, QC, Canada J5T 3S5
1-800-363-1700

USE LIMITATIONS:

Bait **MUST** either be placed in tamper-resistant bait stations or in locations not accessible to children, pets or livestock. **DO NOT** place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

To ensure safe use of this product, tamper-resistant bait stations must have the following characteristics:

- constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children and non-target animals;
- entrance designed so that children and non-target animals cannot reach the bait;
- internal structure that prevents bait from being shaken loose;
- access panel that fastens securely and locks (e.g., metal screw or padlock);
- capable of being securely fastened to a surface (e.g., nailed down); and
- clearly labelled “WARNING POISON”.

DIRECTIONS FOR USE:

Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing.

Use *RODENT CAKE PLUS*® Rodenticide Paraffin Block for the control of Norway rats, Roof rats and House mice, indoors and against the outside walls of residential, industrial, commercial, agricultural, and public buildings.

Areas of use:

General: May be used inside homes and agricultural buildings in areas where no feed or food is stored. Do not place bait in areas where there is a possibility of contaminating food or surfaces that may come in contact with food.

Food Processing, Food Manufacturing, Food Storage and Food Service Areas: For areas not directly related to food processing: Use only in non-food or non-feed areas where feed, food, packaging and handling equipment are never opened or exposed. For areas where feed or food is processed, served or stored: In meat and food processing plants (processing areas), use only when plant is not in operation. Remove or cover all food, packaging material and utensils before placing bait in baiting stations. Remove all baits and dead rodents before re-use of the plant (processing areas include storage and service).

Selection of Treatment Areas: Place bait in locations where rats and mice travel and will most likely find and consume the bait. Placement along walls, in corners, by gnawed openings, in and around burrows, and in concealed locations where rats and mice feed is desirable. Maintain a steady supply of fresh bait. Remove any spoiled or contaminated bait promptly.

Application Directions:

Each *RODENT CAKE PLUS*® Block consists of a 450 g slab which is to be broken into 8 pieces (i.e. 56 grams each).

For Norway Rats (*Rattus norvegicus*) and Roof Rats (*Rattus rattus*): Norway rats usually inhabit the ground floor of structures and burrow in the ground. They will range approximately 15 to 100 m from their nesting area seeking food and water. Roof rats, however, are excellent climbers and usually infest the upper stories of structures. Hence, special attention must be paid to this species ability to climb by placing baits in the roof rats activity area. For both species, eliminate as much of the naturally occurring food as possible and place 3 to 10 pieces of block (usually at intervals of 5 – 10 m) within the treatment area. Maintain an uninterrupted supply of fresh bait for at least 10 days, or until signs of rat activity cease.

For House Mice (*Mus musculus*): House mice are excellent climbers and will infest all floors in a structure. Mice will only range approximately 10 m from their nesting area seeking food. Eliminate as much of the naturally occurring food as possible and place 1 piece of block at intervals of 2 – 4 m within the treatment area. If a bait placement is not disturbed after several days, move the placement approximately 1 meter. Two (2) pieces of block per placement may be necessary at points of very high mouse activity. Maintain an uninterrupted supply of

fresh bait for at least 15 days or until signs of mouse activity cease. Burrow Application: Place 1 – 2 pieces of block per burrow.

Note: Replace contaminated or spoiled bait immediately. Collect and dispose of all dead animals and unconsumed bait properly. To prevent reinfestation, eliminate food, water and harbourage as much as possible. If reinfestation occurs, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations as necessary.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN, DOMESTIC ANIMALS, LIVESTOCK AND NON TARGET WILDLIFE. May be harmful or fatal if swallowed or absorbed through the skin. This material may reduce the clotting ability of the blood and cause bleeding. All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when handling this product. Chemical-resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse.

KEEP AWAY FROM FEED AND FOODSTUFFS.

Treated baits must be maintained in tamper-resistant bait boxes or in locations not accessible to children, pets, domestic animals or non target wildlife. This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

FIRST AID:

IF SWALLOWED: For all cases of human ingestion, immediately notify a physician or poison control centre. Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If pet or livestock poisoning is suspected, immediately contact a veterinarian.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion is suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE AND DISPOSAL: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

14-SEP-2007

RODENT CAKE PLUS ®

Rodenticide - Paraffin Block

COMMERCIAL

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

READ THE LABEL AND THE ENCLOSED LEAFLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

GUARANTEE: Chlorophacinone 0.005%

Warning, contains the allergens peanuts and wheat.

REGISTRATION NO. 27228 PEST CONTROL PRODUCTS ACT

450 g block

VÉTOQUINOL N.-A. INC.
2000, ch. Georges
Lavaltrie, QC, Canada J5T 3S5
1-800-363-1700

DIRECTIONS FOR USE: For directions for use, consult the attached leaflet.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN, DOMESTIC ANIMALS, LIVESTOCK AND NON TARGET WILDLIFE. May be harmful or fatal if swallowed or absorbed through the skin. This material may reduce the clotting ability of the blood and cause bleeding. All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves when handling this product. Chemical-resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse.

KEEP AWAY FROM FEED AND FOODSTUFFS.

Treated baits must be maintained in tamper-resistant bait boxes or in locations not accessible to children, pets, domestic animals or non target wildlife. This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds.

FIRST AID:

IF SWALLOWED: For all cases of human ingestion, immediately notify a physician or poison control centre. Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If pet or livestock poisoning is suspected, immediately contact a veterinarian.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Vitamin K₁ in the form of intramuscular or subcutaneous injections, or by oral ingestion is suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

STORAGE AND DISPOSAL: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals. Do not contaminate water, food or feed by storage or disposal. Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.