

27-JAN-1995

LABEL

DOMESTIC

500 mL

Made in Canada

C-I-L

Ant and Grub Killer

SOLGARD®

Emulsifiable Concentrate

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND ENCLOSED BROCHURE BEFORE USING

DANGER

POISON

REG. NO. 16781 P.C.P. ACT

GUARANTEE:

Chlorpyrifos 50 g per litre

NU-GRO CORPORATION
Woodstock, Ontario
N4S 8P6

Laval, Quebec
H7S 1G3

Calgary, Alberta
T2H 2S1

SAFE HANDLING INSTRUCTIONS:

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN.

Avoid inhaling spray mist or contact with eyes, skin or clothing. May cause irritation to skin or eyes. Wash thoroughly after use. Avoid contamination of food, feed, utensils, drinking water or any body of water. Wash contaminated food surfaces, utensils and clothing with soap and water. **DO NOT PERMIT CHILDREN OR PETS TO CONTACT SPRAYED AREAS UNTIL DRY.** Do not use in poultry houses or other animal buildings. This product is toxic to fish and crustaceans.

DISPOSAL:

Triple rinse container into sprayer and dispose of empty container and measuring cup with household garbage. Do not re-use container or measuring cup.

FIRST AID:

IF SWALLOWED, do not induce vomiting; contains petroleum distillate solvent. Obtain medical attention. IF ON SKIN, wash with soap and water. Remove contaminated clothing. IF IN EYES, flush with water and obtain medical attention.

TOXICOLOGICAL INFORMATION:

Contains a cholinesterase inhibitor and a solvent. Atropine is an antidote.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out in the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

C.I.L. and SOLGARD are trademarks of ICI Canada Inc. NU-GRO Corporation is a Registered User. 82014 694

BOX

FREE MEASURING CUP ENCLOSED

DOMESTIC

500 mL

C-I-L
Ant and Grub Killer

SOLGARD
Emulsifiable Concentrate

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND ENCLOSED BROCHURE BEFORE USING

DANGER POISON

REG. NO. 16781 P.C.P. ACT

GUARANTEE:
Chlorpyrifos 50 g per litre

NU-GRO CORPORATION
Woodstock, Ontario
N4S 8P6

Laval, Quebec
H7S 1G3

Calgary, Alberta
T2H 2S1

Made in Canada

C.I.L. and Grub Killer is an effective insecticide for vegetables, lawns, soil, oranamentals, houseplants and household use. It is effective against chlordane resistant insects.

DIRECTIONS

5 mL = 1 teaspoon 15 mL = 1 tablespoon

VEGETABLES:

When damage from cutworms is evident, apply spray to give uniform coverage of soil area. Use 60 mL with 10 L of water per 100 m² on Broccoli, Brussels Sprouts, Cabbage, Chinese Cabbage, Cauliflower, Celery, Cucumber, Green Pepper, Sweet Corn and Tomato. Make no more than 1 application per season. (See table

below for days to wait between application and harvest). For Carrots and Onions, use 120 mL with 10 L of water and apply 3 L per 100 m of row of soil surface. Do not use on green bunching Onions. For Strawberries, use 120 mL in 10 L of water per 100 m² and apply to the soil once between June 1 and June 15. For control of Potato Flea Beetle and Tarnished Plant Bug on Potato, apply 80 mL in 10 L of water per 100 m². Apply weekly as a foliar application as needed. Do not make more than 9 applications during one season.

DAYS TO WAIT BETWEEN APPLICATION AND HARVEST:

Potato, 7 days; Strawberry, 20 days; Broccoli, Brussels Sprouts, Cabbage, Chinese Cabbage & Cauliflower, 32 days; Green Pepper, 40 days; Cucumber, Carrot & Onion, 60 days; Sweet Corn, Celery & Tomato, 70 days.

LAWNS:

See enclosed brochure.

ORNAMENTAL PLANTS and SHRUBS - Soil Treatment - To control Ants, Crickets, Earwigs, Sowbugs, Spiders, Cutworms, White Grubs, European Chafer Larvae, and Japanese Beetle Larvae, spray soil and turf around plants to give good coverage. Apply 200 mL with 10 L of water per 100 m².

ORNAMENTAL PLANTS, SHRUBS and TREES - Foliar Treatment: To control Aphids, Ash and Lilac Borers, Mealy Bugs, Mites, Scales, Spittle Bugs, Thrips and White-flies, on deciduous and coniferous trees and shrubs, mix 200 mL with 10 L of water and thoroughly spray all foliage.

NATIVE ELM BARK BEETLE:

See enclosed brochure.

NOTE:

DO NOT USE ON ROSES, AZALEAS, CAMELLIAS, POINSETTIAS, GERANIUMS, OZALIS, COLEUS OR VARIEGATED IVY.

INSECT PESTS INDOORS:

For Cockroaches, Ants, Crickets, Earwigs, Firebrats, Fleas, Silverfish, Sowbugs, Spiders, Brown Dog Ticks, mix 50 mL with 1 L of water and apply as a spot treatment using a coarse spray or paint brush on surfaces, along baseboards and behind fixtures where these pests are a problem. For Fleas and Ticks, mix 100 mL with 1 L of water and apply spray to pet beds and resting

quarters; nearby cracks and crevices. Replace bedding after treatment. DO NOT TREAT PETS. For Carpet Beetles, mix 100 mL with 1 L of water and apply along baseboards, under carpets and where insects are seen. Do not spray bedding, clothes or furniture. Repeat if infestation occurs, but no more than once every 2 months. DO NOT USE AS A SPACE SPRAY.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid inhaling spray mist or contact with eyes, skin and clothing. May cause irritation to skin or eyes. Wash thoroughly after use. Avoid contamination of food, feed, utensils, drinking water or any body of water. Wash contaminated food surfaces, utensils and clothing with soap and water. DO NOT PERMIT CHILDREN OR PETS TO CONTACT SPRAYED AREAS UNTIL DRY. This product is toxic to fish and crustaceans.

DISPOSAL:

Triple rinse container into sprayer and dispose of empty container and measuring cup with household garbage. Do not re-use container and measuring cup.

FIRST AID:

IF SWALLOWED, do not induce vomiting, contains petroleum distillate solvent. Obtain medical attention. IF ON SKIN, wash with soap and water. Remove contaminated clothing. IF IN EYES, flush with water and obtain medical attention.

TOXICOLOGICAL INFORMATION:

Contains a cholinesterase inhibitor and a solvent. Atropine is an antidote.

BROCHURE

DOMESTIC

250 mL

C-I-L

Ant and Grub Killer

SOLGARD

Emulsifiable Concentrate

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND BROCHURE BEFORE USING

DANGER
POISON

REG. NO. 16781 P.C.P. ACT

GUARANTEE:
chlorpyrifos 50 g per litre.

NU-GRO CORPORATION
Woodstock, Ontario
N4S 8P6

Made in Canada

C-I-L Ant and Grub Killer is an effective insecticide for vegetables, lawns, soil, ornamentals, houseplants and household use. It is effective against chlordane resistant insects.

DIRECTIONS

5 mL = 1 teaspoon 15 mL = 1 tablespoon

VEGETABLES:

When damage from cutworms is evident, apply spray to give uniform coverage of soil area. Use 60 mL with 10 L of water per 100 m² on broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower, celery, cucumber, green pepper, sweet corn and tomato. Make no more than 1 application per season. (See table below for days to wait between application and harvest). For carrots and onions, use 120 mL with 10 L of water and apply 3 L per 100 m of row of soil surface. Do not use on green bunching onions. For strawberries, use 120 mL in 10 L of water per 100 m² and apply to the soil once between June 1 and June 15. For control of potato flea beetle and tarnished plant bug on potato, apply 80 mL in 10 L of water per 100 m². Apply weekly as a foliar application as needed. Do not make more than 9 applications during one season.

DAYS TO WAIT BETWEEN APPLICATION AND HARVEST:

Potato, 7 days; Strawberry, 20 days; Broccoli, Brussels sprouts, Cabbage, Chinese Cabbage & Cauliflower, 32 days; Green Pepper, 40 days; Cucumber, Carrot & Onion, 60 days; Sweet Corn, Celery & Tomato 70 days.

LAWNS:

NO MORE THAN 2 APPLICATIONS PER SEASON. To control White Grubs and the grubs of the European Chafer and Japanese Beetle, mix 400 mL with 10 L of water per 100 m² of lawn area. Spray in late July or August when grubs are small and are feeding on the grass roots just below the soil surface. Immediately after spraying, water the lawn thoroughly. To control Chinch Bugs, Sod Webworms, Ants and Mosquitoes mix 200 mL with 10 L of water per 100 m² of lawn area (a watering can is suitable for this treatment). Apply when insects first appear and repeat when needed. The lawn surface should be moist before treatment. For Ants spray nests and surrounding areas. For Sod Webworms, delay watering or mowing for 12 to 24 hours after treatment. To control Crane Fly Larvae (Leatherjackets), use 240 mL with 10 L of water per 100 m². Apply as a drenching spray in water in the late fall after the flight of adult crane flies has ceased for the year.

ORNAMENTAL PLANTS and SHRUBS - Soil Treatment - To control Ants, Crickets, Earwigs, Sowbugs, Spiders, Cutworms, White Grubs, European Chafer Larvae, and Japanese Beetle Larvae, spray soil and turf around plants to give good coverage. Mix 200 mL with 10 L of water per 100 m².

ORNAMENTAL PLANTS. SHRUBS - Foliar Treatment: To control Aphids, Ash and Lilac Borers, Mealy Bugs, Mites, Scales, Spittle Bugs, Thrips and Whiteflies on deciduous and coniferous trees and shrubs, mix 200 L with 10 L of water and thoroughly spray all foliage.

NOTE:

DO NOT USE ON ROSES, AZALEAS, CAMELLIAS, POINSETTIAS, GERANIUMS, OZALIS, COLEUS OR VARIEGATED IVY.

NATIVE ELM BARK BEETLE:

To prevent the adult beetle from overwintering in uninfected trees and to reduce beetle populations in disease-free areas, mix 300 mL with 3 L of water and spray the bottom 2.5 m of trunk. Wet the trunk thoroughly but do not spray to runoff. Make only one application per season. To prevent branch and twig feeding on uninfected trees, spray the tree crown thoroughly. For best results, consult municipal authorities to incorporate a complete integrated Dutch Elm disease program.

INSECT PESTS INDOORS:

For Cockroaches, Ants, Crickets, Earwigs, Firebrats, Fleas, Silverfish, Sowbugs, Spiders, Brown Dog Ticks, mix 50 mL with 1 L of water and apply as a spot treatment using a coarse spray or paint brush on surfaces, along baseboards and behind fixtures where these pests are a problem. For Fleas and Ticks, mix 100 mL with 1 L of water and apply spray to pet beds and resting quarters; nearby cracks and crevices. Replace bedding after treatment. DO NOT TREAT PETS. For Carpet Beetles, mix 100 mL with 1 L of water and apply along baseboards, under carpets and where insects are seen. Do not spray bedding, clothes or furniture. Repeat if infestation occurs, but no more than once every 2 months. DO NOT USE AS A SPACE SPRAY.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid inhaling spray mist or contact with eyes, skin and clothing. May cause irritation to skin or eyes. Wash thoroughly after use. Avoid contamination of food, feed, utensils, drinking water or any body of water. Wash contaminated food surfaces, utensils and clothing with soap and water. DO NOT PERMIT CHILDREN OR PETS TO CONTACT SPRAYED AREAS UNTIL DRY. Do not use in poultry houses or other animal buildings. This product is toxic to fish and crustaceans.

DISPOSAL:

Triple rinse container into sprayer and dispose of empty container with household garbage. Do not re-use container and measuring cup.

FIRST AID:

IF SWALLOWED, do not induce vomiting, contains petroleum distillate solvent. Obtain medical attention. IF ON SKIN, wash with soap and water. Remove contaminated clothing. IF IN EYES, flush with water and obtain medical attention.

TOXICOLOGICAL INFORMATION:

Contains a cholinesterase inhibitor and a solvent. Atropine is an antidote.

C-I-L and SOLGARD are trademarks of ICI Canada Inc. NU-GRO Corporation is a Registered User.

For additional product information or in case of emergency,

spills or fire call toll-free 1-800-268-2806.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))