KLOR (TM) D

DOMESTIC INSECTICIDE DUST

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CONTROLS ANTS, GRUBS, MAGGOTS, AND OTHER INSECTS
IN GARDENS AND LAWNS

GUARANTEE: Chlorpyrifos 0.6%

REGISTRATION NO. 25329
PEST CONTROL PRODUCTS ACT

UNITED AGRI PRODUCTS
R. R. #2
DORCHESTER, ON NOL 1G5

DISTRIBUTED BY:
UNITED HORTICULTURAL SUPPLY
R. R. #2
DORCHESTER, ON NOL 1G5

NET: 500 G

DIRECTIONS:

Remove child resistant cap with a coin or tool. Shake to apply. Re-apply cap after use. To open, punch in holes marked on lid.

LAWNS: Make no more than 2 applications per season. White grubs, European chafer larvae, Japanese beetle larvae - Apply 400 g per 10 m2 and water into turf. Ants - Apply 200 g per 10 m2. Treat ant nests and trails. Chinch bugs - Apply at a rate of 200 g per 10 m2 at first sign of damage. Water thoroughly. Keep off lawn until dry.

GARDENS: Use on broccoli, Brussels sprouts, cabbage, Chinese cabbage, cauliflower, carrots, celery, cucumbers, green

peppers, onions, potatoes, sweet corn and tomatoes. Do not use on green bunching onions. For control of cutworms and root maggots, apply dust to soil around plant at a rate of 70 g per 10 m of row if damage is expected. Chemical control of white grubs and wireworms is usually needed only the year after sod has been turned.

DAYS TO WAIT BETWEEN APPLICATION AND HARVEST:

ORNAMENTALS: Make no more than 2 applications per season. For ants, crickets, earwigs, sowbugs, spiders, cutworms, white grubs, European chafer larvae and Japanese beetle larvae, apply dust to turf or to soil around plants at a rate of 400 g per 10 m2.

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN.

Do not allow dust to contact food, food preparing surfaces, utensils or drinking water. Wash contaminated food surfaces and utensils with soap and water. Do not use in poultry houses or other animal buildings. May cause irritation to skin or eyes, avoid contact. Avoid inhaling dust. Wash thoroughly with soap and water after using.

WARNING: This product is toxic to fish and crustaceans. Avoid contamination of ornamental fish ponds and fish bowls. Dispose of the container away from food, feed and water supplies.

FIRST AID: If swallowed, induce vomiting and contact a physician or poison control centre. Flush contaminated eyes and skin with plenty of water. For eyes, get prompt medical attention.

TOXICOLOGICAL INFORMATION: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine by injection only is an antidote. DISPOSAL: Do not reuse container. Wrap and dispose of in household garbage.

NOTICE TO BUYER: Seller's guarantee shall be limited to the

terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))