

85.12.31

CO-OP (R) SEVIN * 80% W. P.
WETTABLE POWDER INSECTICIDE
WIDE SPECTRUM INSECT CONTROL
ON FRUIT, VEGETABLES AND FIELD CROPS

AGRICULTURAL

READ THE LABEL BEFORE USING

GUARANTEE: Carbaryl 80%

1.5 kg

REGISTRATION NO. 15737

PEST CONTROL PRODUCTS ACT

WARNING POISON

INTERPROVINCIAL COOPERATIVE LIMITED
P.O. BOX 1050,
SASKATOON, SASKATCHEWAN
S7K 3M9

WINNIPEG TORONTO MONTREAL MONCTON

(R) Reg Trade Mark Interprovincial Cooperative

* Sevin is the Registered Trade Mark of Union Carbide Corporation for Carbaryl Insecticide

DIRECTIONS: Spray when insects first appear or when damage is first noticed, unless otherwise specified. Repeat at 7 - 10 day intervals or as necessary. The number in brackets after the name of the crop refers to the number of days between the last spray and the harvest. For example, Apple (14) - This means that the apples cannot be picked until 14 days after the last spray was applied.

VEGETABLE CROPS	INSECTS CONTROLLED	COMMENTS	Rate SEVIN 80% W.P. per 250 Litres of Water per ha
-----------------	--------------------	----------	--

Corn (1)	Corn Earworm, European Corn Borer, Fall Army Worm, Corn Root Worm (adults).	For larva in whorls and foliage feeders, treat the entire plant. For insects attacking silks and ears apply at two to four day intervals from the time silks first appear until they dry.	1.5-2.25 kg/ha
Potato (7), Tomato (1), Eggplant (1) Pepper (1)	Colorado Potato Beetle, Potato Flea Beetle, Leaf Hoppers, Tomato Fruit Worm, Fall Armyworm, Tomato Hornworm, European Corn Borer, Tarnished Plant Bug, Stink Bugs	Spray in 25 cm band over row. Use at least 250 Litre of water per hectare.	.75 kg/ha 1.5kg/ha 1.5-2.75 kg/ha 2.75kg/ha
Beans (3)	Mexican Bean Beetle, Leaf Hoppers, Flea Beetle, Lygus and Stink Bugs	Spray in a 25 cm band over row in the least 250 litres of water.	.75 kg/ha 1.5 kg/ha 2.75 kg/ha
Cucumber (3) Melon (3) Pumpkin (3) Squash (3) Beets (7) Broccoli (3) Brussel Sprouts (3) Cabbage (3)	Cucumber Beetles, Climbing Cutworms, Flea Beetles, Leaf Hoppers, Squash Bug, Flea Beetle, Leaf Hopper	Under conditions of high humidity or damp foliage some leaf injury may occur. Use lower rates on young plants.	1.5 kg/ha .75-1.5 kg/ha
Cauliflower(3) Carrots (1)	Armyworms, Cabbage Looper, Corn Earworm, Diamond Back Moth,(larvae) Imported Cabbage Worm Lygus Bugs, Stink bugs	Use lower rate on young plants. For cabbage loopers repeat at 5-7 day intervals. Use another product if only cabbage loopers present.	1.5-2.75kg/ha

Alfalfa, (14) Barley (14) Oats (14) Rye(14) Wheat (14) and Clover	Grasshoppers, Cereal Leaf Beetle (egg, larva, adult) Blister Beetles, Leaf Hoppers, Flea Beetles, Three Cornered Alfalfa Hoppers, Sweet Clover Weevils, Alfalfa Caterpillars. Armyworms, Webworms, Alfalfa Weevil Larvae	If pre-treatment damage is extensive cut Alfalfa and make application to the stubble. Use sufficient water for good coverage. Keep mixture well agitated. Apply when insect damage first appears and every 7-14 days if necessary. Treated foliage may be fed to dairy animals and animals being finished for slaughter. Remove cattle from area while spraying.	.75-1.5 kg/ha 1.5 kg/ha 1.5-2.25 kg/ha 1.5-2.75 kg/ha 2.25 kg/ha
--	---	---	--

APPLES AND PEARS

Apply CO-OP SEVIN 80% W. P. for full coverage in a normal spray schedule or when insects or damage first appear. To control Coding Moth, Eye Spotted Bud Moth, Red-banded Leaf Roller (1st brood), Apple Leaf Hopper, Mealybug and Apple Leaf Roller, apply .75 kilograms of product per 1000 litres of dilute spray.

To control Plum Curculio, Eastern Tent Caterpillar, Lecanium Scale, Fruit Tree Leaf Roller (2nd brood), Tarnished Plant Bug, Tentiform Leaf Minor, Apple Maggot, Pear Slug, Green Fruit Worm, Rust Mite, San Jose Scale, Pear Leaf Blister Mite, Pear Psylla, Oystershell Scale, Woolly Apple Aphid and Pistol Casebearer, apply 1.5 kilograms of product per 1000 litres of dilute spray.

For optimum scale control, apply when crawlers are present. For Psylla control, apply when eggs hatch or when young nymphs are present. For optimum Apple Maggot control, spray at ten day intervals.

Note: The use of Co-op Sevin 80% W.P. before the second cover spray on apples or the first cover spray on pears may cause some thinning of fruit. DO NOT apply within seven days of harvest.

	INSECTS CONTROLLED	COMMENTS	RATE
--	-----------------------	----------	------

Farm Buildings (Poultry Houses)	Bed Bugs, Fleas, Chicken Mite, Fowl Ticks, Lesser Mealworm	Spray 4.54-9.0 litres of mixed solution per 100 m2 of wall, litter and roost area. Force spray into cracks and crevices. Repeat as needed. Ventilate adequately while spraying.	6.25 kg/1000 litres of water 25 kg/1000 litres of water 7.75 kg/1000 litres of water.
Chickens, Poultry, Geese, Ducks,		Spray at the rate of 4.54 L per 100 birds. Do not apply to poultry, poultry nest litter within seven days before slaughter. Avoid contamination of nest eggs, feed and water troughs.	6.25 kg/1000 litres of water.

PRECAUTIONS:

KEEP OUT OF THE REACH OF CHILDREN AND ANIMALS. Harmful if swallowed or inhaled. Avoid breathing dust or spray mist. Do not take internally. Avoid contact with skin and eyes. Wear regular, long sleeved work clothing. Change to clean clothing daily. Wash hands and face thoroughly after spraying and before eating. Avoid contaminating food, feed, water supplies, streams and ponds. Do not re-use empty container. Destroy by burying with waste or burning. Stay away from smoke or fumes.

FIRST AID:

In case of poisoning call a physician immediately. If on skin, wash thoroughly with soap and water. If in eyes flush with water for 5-10 minutes. If swallowed, give the patient one or two glasses of water, induce vomiting. Do not induce vomiting if patient is unconscious or in a convulsive state.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NON-WARRANTY:

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising

from the use or handling of this product and accepts the product on that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))