

08-JAN-1999

CORRY'S
IDEAL FOR VEGETABLE GARDENS

SLUG & SNAIL
PELLETS

Not Affected By Rain

DOMESTIC

READ THE LABEL BEFORE USING

GUARANTEE: 2% METALDEHYDE

REG. NO. 25565 PCP ACT

NET CONTENTS 1.02 Kg

GENERAL APPLICATIONS

CORRY'S SLUG & SNAIL PELLETS is so easy to use. Requires no mixing, spraying, or special applicators. Just scatter lightly on the soil surface in infested areas. Apply heavier if infestation is severe. This bait is extremely attractive to slugs and snails and actually lures them from their hiding places and kills them. Reapply at least every two weeks - more often during heavy infestations or in areas heavily watered. All likely places should be treated as these pests travel. They favor damp places around vegetable plants such as beans, tomatoes, lettuce, celery and squash.

Other favorite areas are flower gardens, rockeries, hedges, dichondra lawns, ivy patches, and other ground cover where they obtain shelter by day. Use approximately 275 g/100m².

*SPECIAL APPLICATIONS

CORRY'S SLUG & SNAIL PELLETS can be used to protect all fruit and vegetable plants. Apply only to soil surface. Do not apply to the foliage or edible parts of the crop.

For best results be sure area to be baited is damp. In very dry weather, water well before baiting. Dead slugs and snails should be removed and destroyed.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes, and

clothing. Harmful dust. Avoid breathing dust. May be fatal if swallowed. Avoid contamination of feed, food stuffs, water supplies, and ponds. Do not apply bait directly on fruits, vegetables or field crops- use only on soil surface around these plants. Dogs and other domestic animals are attracted to metaldehyde bait and fatal poisoning may result from ingestion. Keep dogs and other domestic animals off treated areas. Wash hands after use. This product may be toxic to wildlife. Birds feeding on treated areas may be killed.

FIRST AID

If swallowed, call a physician or poison control centre. Induce vomiting by placing finger down throat. Drink plenty of milk. Never give anything by mouth to an unconscious person. If in eyes, flush with water for 15 minutes and get medical attention. If on skin, wash with soap and water.

TOXICOLOGICAL INFORMATION

Ingestion may cause intestinal irritation, kidney and liver damage.

DISPOSAL

Do not reuse empty container. Wrap empty container and discard in household garbage.

MFG. IN U.S.A. BY
E.M. MATSON, JR. CO., INC.
NORTH BEND, WA 98045
EPA EST. NO. 8119-WA-1
Copyright(C) 1998 E.M. WATSON, JR, CO. INC.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))