DI-CROBE

Kills - Détruit: Salmonella Choleraesuis Staphylococcus aureus, Mycebacterium tuberculosis.

COMMERCIAL

GUARANTEE / GARANTIE:

Isoproponal 9.37%
Ortho-benzyl parachlorophenol 3.14%
Sodium linear dodecyl benzenesulfonate 1.60%

REGISTRATION NO. 12368
PEST CONTROL PRODUCTS ACT

NO. D'ENREGISTREMENT 12368 LOI SUR LES PRODUITS ANTIPARASITAIRES

> CAUTION/ATTENTION CORROSIVE/CORROSIF

READ THE LABEL BEFORE USING LIRE L'ETIQUETTE AVANT D'EMPLOYER

NET CONTENTS CONTENU NET

LOT NO. NO DE LOT

D.I.N. 219789

HUNTINGTON LABORATORIES OF CANADA LIMITED
15 VICTORIA CRESCENT
BRAMALEA, ONTARIO
L6T 1E3
TELEPHONE: (416) 677-2401

A POTENT MULTI-PURPOSE PHENOLIC GERMICIDE, COMBINED WITH A DETERGENT CLEANER

Biodegradable. This product contains not more than 0.50% phosphorus in the form of phosphates.

A.O.A.C. USE DILUTION CONFIRMATION TEST:

A.O.A.C. Tuberculocidal Test:

Kills: Mycobacterium tuberculosis 1 to 80 DI-CROBE effectively reduces the bacteria count when sprayed. DI-CROBE kills resistant staph, and has residual bacteriostatic activity.

DIRECTIONS FOR USE: Dilute one part DI-CROBE to 80 parts water. For ease of measurement use 12 mL DI-CROBE per litre of water. This is a 1 1/4% solution or 1 to 80 dilution. Apply with mop, sponge or cloth. Also spray or soak. Rinsing is not necessary on floors, except before refinishing.

USE: Floors, furniture, porcelain, lensed instruments, thermometers, walls, paint, plastic, tubing and basins. DI-CROBE has been tested and found safe and effective when used on electrically conductive floors.

PRECAUTIONS: Keep out of reach of children. Avoid contamination of feed and foodstuffs. Surfaces which contact food must be completely rinsed with potable water. Harmful if taken internally. Avoid contact of undiluted material with skin.

FIRST AID: Internal: Give raw egg white, milk, mucilage, gruel or corn starch paste and follow with emetic of mustard. Call a physician. External: Wash with water and alcohol.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label

information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))