

18-AUG-1998

OMNITROL

100-W

FORMULA

GUARANTEE

Poly (oxyethylene(dimethyliminio)
ethylene (dimethyliminio) ethylene dichloride)....9.0%

INDUSTRIAL LIQUID MICROBICIDE NON FOAMING

REGISTRATION NO. 22740
PEST CONTROL PRODUCTS ACT

READ LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

NET:

NALCO CANADA INC.
P.O. Box 5002
Burlington, Ontario
L7R 3Y9
(905) 632-8791

In Case of Emergency, Phone (1-800-463-3216) (24 Hrs.)

TO CONTROL ALGAE, BACTERIA AND FUNGI IN RECIRCULATING COMMERCIAL AND INDUSTRIAL WATER COOLING TOWERS, AND AIR WASHERS, IS EFFECTIVE AT ALL pH VALUES AND WILL NOT CAUSE FOAM.

DIRECTIONS FOR USE:

1. COOLING TOWER SYSTEMS: Prior to the use of Omnitrol 100-W in water cooling towers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug addition of 47 to 117 ppm should then be added to the sump of the cooling water towers. Repeat the initial dosage until control is evident. Subsequent slug additions of 13 to 117 ppm should be added every 2 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem.
2. INDUSTRIAL AIR WASHING SYSTEMS: Prior to use in air washers, systems should be cleaned to remove organic, inorganic and microbiological deposits. An initial slug

addition of 167 to 267 ppm should then be added to the sump of the water collector trays. Repeat the initial dose until control is evident. Subsequent slug additions of 117 to 267 ppm should be added every 1 to 5 days or as needed. The frequency of addition will depend on the relative amount of bleedoff and the severity of the microbiological problem. For use only in systems equipped with effective mist eliminating components.

PRECAUTIONS:

Harmful if swallowed. Avoid breathing vapours. Avoid contact with skin, eyes or clothing.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters. Do not reuse empty containers.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal or reconditioning.
3. Dispose of the container in accordance with provincial requirements.
4. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the regional office of Environment Canada.
5. For small spills. Recover free liquid. Soak up residue with solids absorbent. DO NOT FLUSH INTO SURFACE STREAMS. INFORM ENVIRONMENT CANADA AS IN #4.

FIRST AID INSTRUCTIONS:

IF IN EYES: Flush thoroughly with water. If eye irritation persists, seek medical attention.

IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solution or, if these are not available, drink large quantities of water. Call a physician immediately.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))