

2017-5978
2017-10-16

ZONE GUARD, DOMESTIC - FLYING INSECT KILLER 1

Metered Pressurized Insecticide Spray

For the control of flies, gnats, mosquitoes, and small flying moths.

See back panel for Use Areas and Additional Precautionary Statements.

DOMESTIC

GUARANTEE:

Pyrethrins	0.975%
Piperonyl Butoxide	1.950%
N-Octyl Bicycloheptene Dicarboximide	3.210%

(Contains an insecticide derived from the Chrysanthemum Flower)

REGISTRATION NO. 30767 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 75-650 g

WARNING



FLAMMABLE



EXPLOSIVE

**READ THE LABEL BEFORE USING
KEEP OUT OF THE REACH OF CHILDREN**

Aura Pro Solutions, Inc.
29391 Hwy 28 S
Bancroft, ON, K0L 1C0
CANADA
705-201-1144

(3000 Metered Sprays)
(6000 Metered Sprays)
(30 Day Control @ 15 Minute Setting)
(30 Day Control @ 7.5 Minute Setting)
(Universal Can Size)
(Fits Most Metered Dispensers)

USE AREAS: Garages, basements, enclosed porches & patios, mud rooms, utility rooms, storage sheds, workshops, outdoor storage buildings and crawl spaces such as in attics. (Domestic kennels, domestic farms, domestic barns and domestic stables.) Do not install in the living areas of the home such as the kitchen, bedroom or living room.

[ZONE GUARD, DOMESTIC - FLYING INSECT KILLER 1, PRESSURIZED SPRAY] is designed for use in Cam Spring Action (CSA) Type Automatic Dispenser. The automatic dispenser releases a metered dose of 55 mg of insecticide every 15 minutes. One can contains enough product to protect an area up to 170 m³ (6,000 cubic feet) of free flow air space . It is recommended that the container be changed as required if the pest problem still exists.]

Or

[ZONE GUARD, DOMESTIC - FLYING INSECT KILLER 1 PRESSURIZED SPRAY], is designed for use for use in a wide range of automatic metered dispensers designed to release a metered dose of either 27.5 mg of insecticide every 7 ½ minutes, 55mg of insecticide every 15 minutes, 110 mg of insecticide every 30 minutes or 165 mg of insecticide every 45 minutes. Within 24 hours the area is relatively free of flies, mosquitoes, gnats, and small flying moths and with continued use reduces annoyance from them. Effectiveness of this product will be noticeable within one hour after the Dispenser is activated. Recommended use is for 24 hours: but if less than 24 hour is required, the Dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. One can contains enough product to protect an area up to 170 m³ (6,000 cubic feet) of free flow air space. Factors such as airflow rate, size of space treated, humidity and room temperature affect insect activity and control.

Therefore, one unit per 170 m³ (6,000 cubic feet) of unobstructed space should be considered as an average with adjustments made depending on specific conditions at usage site. As with any method of insect control, best results are achieved when sanitation and other positive insect prevention practices are followed. It is recommended that the container be changed as required if the pest problem still exists.]

DIRECTIONS: Remove the protective cap from the top of the can and insert can into dispenser. Place dispenser 2-3 metres above the floor at a point where air flow will carry the insecticide throughout the area. In areas where the ceiling are low, such as attics and crawl spaces, install the dispenser approximately 0.5 metres from the ceiling. Do not install directly over food or food packing surfaces. Read dispenser instruction sheet for installation assistance.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Container may explode if heated. Do not expose to temperatures above 50° C. Do not spray near open flames or sparks. Do not puncture or incinerate. Avoid contact with skin, eyes and clothing. Avoid inhaling spray mist. Do not install directly over polished, plastic or varnished surfaces. Do not use in nurseries or rooms where infants, ill or aged persons are confined. Do not install directly above or within 3.7 meters (12.1 feet) of any food handling or dispensing

area.

Wash after using. Content toxic to fish and birds. Do not contaminate food, feed or water. Do not install in the living areas of the home such as the kitchens, bedrooms or living room.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

[DISPOSAL: When container is empty, press valve to release all pressure. Dispose of empty container in household garbage.

or

[DISPOSAL: When container is empty, press button to release all pressure then dispose in household garbage. This container may be recycled in communities where **(steel) aerosol can recycling** is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE OR INCINERATE).

[Alternative Text] (Optional Text)

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.