

22-AUG-2007

TKO-MAXX™ DAIRY, BARN, & STABLE 3000 METERED FLY & MOSQUITO SPRAY, MAXIMUM STRENGTH

Metered Pressurized Insecticide Spray

AGRICULTURAL/COMMERCIAL

-3000 Metered Sprays

-30 Day Control @ 15 Minute Setting

-Universal Can Size

-Fits Most Metered Dispensers

See back panel for Use Areas and Additional Precautionary Statements.

KILLS & CONTROLS: Flies, Mosquitoes, Gnats, and Small Flying Moths.

GUARANTEE:

Pyrethrins

1.8%

Piperonyl Butoxide

10.0%

(Contains an insecticide derived from the Chrysanthemum Flower)

REGISTRATION NO. 28767

PEST CONTROL PRODUCTS ACT

NET CONTENTS: 75-500 g

WARNING



FLAMMABLE



EXPLOSIVE

READ THE LABEL BEFORE USING

Better Than Corporation

P.O. Box 89, Vaughan, Ontario L4K 1Y8

905-669-0977 www.betterthanproducts.com

TKO MAXX™ LOGO

NO CFC LOGO

RECYCLING LOGO

USE IN: Dairies, Barns, Stables, Farms, Milk And Egg Handling Areas Of Dairies, Chicken Houses, Meat Packing & Food Processing Plants, Bottling Plants, Warehouses, Buildings, Factories, Storage Sheds and Mud Rooms.

TKO-MAXX™ DIARY, BARN, & STABLE 3000 METERED FLY & MOSQUITO SPRAY, MAXIMUM STRENGTH is designed for use for use in a wide range of automatic metered dispensers. The dispenser automatically activates the special metered valve every 7.5 and/or 15 and/or 30 and/or 45 minutes. Within 24 hours the area is relatively free of flies, mosquitoes, gnats, and small flying moths and with continued use reduces annoyance from them. Effectiveness of this product will be noticeable within one hour after the Dispenser is activated. Recommended use is for 24 hours: but if less than 24 hour is required, the Dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Factors such as airflow rate, size of space treated, humidity and room temperature affect insect activity and control. Therefore, one unit per 170 m³ (6,000 cubic feet) of unobstructed space should be considered as an average with adjustments made depending on specific conditions at usage site. As with any method of insect control, best results are achieved when sanitation and other positive insect prevention practices are followed.

DIRECTIONS FOR USE: Remove the protective cap from the top of the can and insert can into dispenser. Place dispenser 2-3 metres above the floor at a point where air flow will carry the insecticide throughout the area. Do not install directly over food or food packing surfaces. Read dispenser instruction sheet for installation assistance. It is suggested that the container be changed once a month.

ADDITIONAL USE AREAS: Food Service And Preparation Areas, Restaurants, Workshops, Utility Rooms, Porches & Patios, Basements, Garages, Kennels, Clubs, Stores, Supermarkets, Offices, Laboratories, Lavatories, Ships, Planes, Hotels, Motels, Hospitals, Nursing Homes and Funeral Homes.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Container may explode if heated. Do not expose to temperatures above 50⁰ C. Do not spray near open flames or sparks. Do not puncture or incinerate. Avoid contact with skin and inhalation of spray mist. Do not install directly over polished, plastic or varnished surfaces. Do not use in nurseries or rooms where infants, ill or aged persons are confined. Do not install directly above or within 3.7 meters (12.1 feet) of any food handling or dispensing area. IN MEAT PACKING AND FOOD PROCESSING PLANTS, only spray when plant is not in operation. No exposed meat products, ingredients or packaging material may be left in room. Cover food-handling equipment. Any treated surfaces that may contact meat food products or other food products should be washed and rinsed thoroughly with potable water after spraying and before re-use for food packaging or processing. Do not spray over milk or milking equipment. Avoid contact with skin and inhalation of spray mist. Wash after using. Content toxic to fish and birds. Do not contaminate food, feed or water. Do not use in dwellings, schools or daycare centres.

FIRST AID: In case of contact with eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press valve to release all remaining pressure. This container may be recycled in communities where (steel) aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label (DO NOT PUNCTURE). If recycling is not available, contact your municipality or provincial Ministry of Environment for disposal information. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.