

91.07.29

WILSON

Liquid Diazinon Insect Spray

Kills insects on fruits, vegetables, lawns and ornamentals.

Chinch Bug Control

DOMESTIC

250 mL

REG. NO. 13691 P.C.P. ACT

GUARANTEE: Diazinon 12.5%

DANGER

POISON

READ THE LABEL AND CARTON BEFORE USING

Wilson Laboratories Inc.  
Dundas, Ontario L9H 3H3

Kills insects on fruits,  
vegetables, lawns and  
ornamentals.

DIRECTIONS FOR USE:

METHOD: Mix 60 mL (4 tablespoonfuls) in 10 litres of water. Spray when insects are noticed and repeat as needed; for carrot rust fly maggot and all fruit fly maggots spray every week between June 20th - July 31st. Also, consult Provincial Home Garden Guide. Do not apply to a food crop within 10 days of harvest except for the following: tomato 1 day; cauliflower, broccoli, pepper, strawberry 5 days; beans, cabbage, cucumber 7 days; apple, pear, beet, potato 14 days; grape and peach 20 days.

INSECTS CONTROLLED: Aphids, carrot rust fly, caterpillars, flea beetle, fruit flies, leafhopper, leafminer, mealybug, mites, pine shoot moth, potato beetle, rose chafer, scales, thrips, root maggot, chinch bug.

CROPS OR PLANTS: Apple, apricot, cherry, grape, peach, pear, plum, strawberry; bean, beet, broccoli, cabbage, carrot, cauliflower, celery, cucumber, lettuce, onion, parsnip, pepper, potato, radish, spinach, tomato; birch, azalea, boxwood, carnation, cedar, crabapple, fir, ivy, juniper, mums, oak, pine, rose, spruce, yew.

CUTWORMS IN ALL VEGETABLES: Apply 60 mL (4 tablespoonfuls) in 10 litres of water on 9 square metres immediately BEFORE planting and rake into soil 8 to 10 cm deep.

LAWN INSECTS: For chinch bugs and clover mites use 45 mL (3 level tablespoonfuls) in 12 litres of water on 10 square metres, thoroughly wetting the grass is essential; repeat 7 days later. For ants, sod webworms (lawn moths) and leatherjackets use 30 mL (2 tablespoonfuls) in 8 litres of water on 10 square metres; repeat as necessary. For earwigs apply 150 mL (10 tablespoonfuls) in 3 litres of water as a spot treatment on infested areas. For millipedes apply 75 mL (5 tablespoonfuls) in 2 litres of water on 10 square metres.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. Do not get into eyes. Avoid contact with skin and inhaling spray mist. Wash thoroughly after handling. Avoid contaminating food and feed. This product is poisonous to bees, fish and wildlife; spray flowers in late evening only; do not contaminate water, ponds, etc. Dispose of empty bottle as garbage.

FIRST AID: Product contains petroleum distillates; if swallowed do not cause vomiting but rush patient to hospital taking this labelled container with you. If in eyes, flush with water for 15 minutes and get medical attention. If patient is unconscious, give him air.

TOXICOLOGICAL INFORMATION: Stomach lavage. Cholinesterase inhibitor, atropine is antidotal.

\*\*\*\*\*

This label transcript service is offered by the Pest Management

Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))