

2000/2001

**NASCHEM**

5925 Tomken Road  
Mississauga, Ontario L4W 4L8

**DEODORIZING GERMICIDAL CLEANER**

(Virucidal - Fungicidal - Sanitizer)

**GUARANTEE:**

N-Alkyl (5% C12, 60% C14, 30% C16, 5% C18)  
dimethyl benzyl ammonium chloride.....1.6%  
N-Alkyl (68% C12, 32% C14) dimethyl  
ethyl benzyl ammonium chloride.....1.6%

**CAUTION  
CORROSIVE**

**READ THE LABEL BEFORE USING**

**COMMERCIAL**

**DIN 00887374**

**REGISTRATION NO. 21361 PEST CONTROL PRODUCTS ACT**

**NET CONTENTS LITRES LOT NO.**

**L6003**

**(905) 564-2455**

**FOR USE IN INDUSTRIAL, INSTITUTIONAL HOSPITAL AND FOOD PROCESSING ENVIRONMENTS**

**DIRECTIONS:**

**GENERAL DISINFECTION:** of hard surfaces, industrial floors, walls and food processing equipment, table tops, counters, display racks in meat and poultry processing and packing plants, supermarket meat rooms, kitchens and other food processings areas, add 1 part per 60 parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes.

**HOSPITAL DISINFECTION:** To disinfect walls, floors, table tops and counters in

patient, operating or examining rooms in Hospitals or nursing homes etc., add 1 part per 40 parts water. Allow solution to wet all surfaces thoroughly and remain wet for 10 minutes. To disinfect toilet bowls, flush toilet, add 70 mL of **L603** directly to bowl water. Swab completely making sure to get under rim. Let stand 10 minutes, flush. For heavily soiled surfaces a pre-cleaning step is required and recommended. Prepare a fresh solution for each use. At 1 part per 40 parts dilution, this product is effective against *Pseudomonas aeruginosa*.

**MILDEWSTAT:** To control mold and mildew on pre-cleaned, hard, non-porous surfaces, add 1 part **L603** to 60 parts water. Wet surfaces completely. Let air dry. Repeat application at weekly intervals or when mildew growth reappears.

**SANITIZING:** To sanitize pre-cleaned, rinsed non-porous food contact surfaces, prepare 200 ppm active QUAT solution by adding 1 part **L603** to 160 parts water. Allow solution to contact surface for at least 60 seconds. Let air dry. Prepare fresh solution each use.

**VIRUCIDAL ACTIVITY:** When used on environmental hard surfaces at 1 part per 60 parts water, **L603** exhibits effective virucidal activity against Influenza A-2 Asian, Herpes Simplex, Adeno virus type 5 and Vaccinia virus.

**EFFICACY:** At 1 part **L603** to 60 parts water, this product exhibits effective disinfectant activity against: *Escherichia coli*, *Klebsiella pneumoniae*, *Streptococcus faecalis*, *Staphylococcus aureus*, *Enterobacter aerogenes*. At this level the product is also fungicidal against the pathogenic fungi, *Trichophyton mentagrophytes*. Efficacy tests have demonstrated that this product is an effective bactericide, fungicide and virucide in the presence of organic soil (5% blood serum). **L603** is an effective sanitizer when diluted with water up to 250 ppm hardness (CaCO<sub>3</sub>).

**PRECAUTION:** Keep out of reach of children. Causes eye and skin damage. Do not get in eyes, on skin or clothing. Harmful if swallowed. Wear glasses or face shield and rubber gloves when handling. Avoid contamination of food. When used on surfaces coming in direct contact with food, rinse thoroughly with potable water. Do not mix with soap or anionic solutions.

**CONTAINS:** Surfactants, phosphate, sequestrant and dye.

**FIRST AID INSTRUCTIONS:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, contact a physician. Remove and wash all contaminated clothing before re-use. If swallowed, drink milk, egg whites, gelatin solution or if none of these are available, drink large quantities of water. Do not induce vomiting. Call a physician or poison control centre immediately.

**NOTICE TO USER:** This control product is to be used in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

**TOXICOLOGICAL INFORMATION:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**DO NOT STORE IN FOOD PROCESSING AREAS OR FOOD STORAGE AREAS. ALL SURFACES ON WHICH THIS PRODUCT IS USED AND WHICH COME IN CONTACT WITH FOOD, ARE TO BE RINSED WITH POTABLE WATER.**

#### **DISPOSAL**

1. Rinse the empties container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empties container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

126

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+) )